

CUSTOM REPORT SELECTION

* MOHAYER WATER PROJECT - PUMP STATIONS & RESERVOIR No: 01980

ABU DHABI
UNITED ARAB EMIRATES
Contractor KNORR GMBH & CO. KG
Applicator KNORR GMBH & CO. KG
Proj. Type RESERVOIRS
PUMP STATIONS
Completed 1977

* FERRERO ROGGE CHOCOLATE FACTORY No: 09906

BUENOS AIRES
ARGENTINA
Owner FERRERO ROGGE
Contractor EMPRESA CONSTRUCTORA HOCHTIEF
Applicator INTPRO S.R.L.
Proj. Type RESERVOIRS

* APARTMENT BUILDING No: 09614

BUENOS AIRES
ARGENTINA
Designer ARECTO ABRAMAZON
Applicator INTPRO S.R.L.
Proj. Type RESERVOIRS
ROOF DECKS
Comments XYPEX APPLIED TO FIRE FIGHTING STORAGE TANK, WATER
RESERVE TANK. XYPEX MODIFIED WAS APPLIED TO THE GARAGE
ROOF DECK.

* OFFICE BUILDING AND PARKING DECK No: 09672

BUENOS AIRES
ARGENTINA
Designer RICARDO MIGUEL ABRAMZON
Contractor INCOM S.R.L.
Proj. Type RESERVOIRS
PARKING DECKS, PARKADES & WALKWAYS
Comments XYPEX APPLIED TO ALL TANKS (FIRE, WATER SUPPLY AND
PUMPING), ROOF SLAB OVER PARKING AREA, AND FOUNDATION
FLOORS AND WALLS.

* BUENOS AIRES WATER RESERVOIR

No: 10064

	BUENOS AIRES
	ARGENTINA
Owner	OBRAS SANITARIAS DE BUENOS AIRES
Contractor	DEGREMONT
Applicator	INTPRO SRL
Proj. Type	PUMP STATIONS
	RESERVOIRS
Total	10,000 SQ FT
Completed	02/15/96
Comments	CONTRACTOR HAS SERIOUS PROBLEMS WITH CONCRETE IN THIS STRUCTURE. XYPEX WAS USED TO REMEDY WATER SEEPAGE PROBLEMS AND HAD REASONABLE SUCCESS UNDER THE CONDITIONS. APPICATOR WILL ATTEMP FURTHER REPAIRS.

* FURNITURE FACTORY OFFICE

No: 11134

	LANUS, BUENOS AIRES
	ARGENTINA
Contractor	PROSEQUUIM S.A.
Applicator	INTPRO, SRL
Proj. Type	RESERVOIRS
Total	2,600 SQ METRES
Comments	THE BASEMENT OF THIS FACTORY WAS CONVERTED INTO A WATER TANK. TO WATERPROOF IT GUNNITE WITH ADMIX C2000 ADDED WAS SPRAYED ON THE FLOOR, COLUMNS AND BEAMS. XYPEX MODIFIED WAS ALSO APPLIED.

* TANQUE RESERVA UNIVERSIDAD DE LOMAS DE ZAMORA

No: 09613

	LOMAS DE ZAMORA
	ARGENTINA
Owner	UNIVERSIDAD LOMAS DE ZAMORA
Designer	OFICINA TECNICA UNIV. LOMAS DE ZAMORA
Applicator	INTPRO S.R.L.
Proj. Type	RESERVOIRS
Comments	THIS TANK SUPPLIED WATER FOR THE ENGINEERING, ARCHITECTURE, LAW AND HUMANITIES FACULTIES. REPAIRS WERE MADE WITH PATCH'N PLUG AND SURFACES WERE THEN TREATED WITH CONCENTRATE AND MODIFIED.

* JUMBO SUPERMARKET - FIRE WATER TANKS

No: 11600

	QUILMES, BUENOS AIRES
	ARGENTINA
Owner	CENCOSUR, S.A.
Contractor	TAWARA CONSTRUCCIONES
Applicator	INTPRO SRL
Proj. Type	RESERVOIRS
Completed	1997
Comments	XYPEX CONCENTRATE AND PATCH 'N PLUG WERE USED TO REPAIR CRACKS AND JOINTS.

* CONCRETE TANKS

No: 08915

	AUSTRALIA
Contractor	GEE LONG CONCRETE TANK REPAIRS AND WATERPROOFING
Applicator	GEE LONG CONCRETE TANK REPAIRS AND WATERPROOFING
Proj. Type	RESERVOIRS
Comments	(SEE NEWSPAPER CLIPPING). JOHN SMITH HAD BEEN IN THE BUSINESS OF REMOVING AND REPLACING CONCRETE TANKS, AND IT WAS WHEN HE DECIDED TO REPAIR THE TANKS, THAT HE DISCOVERED XYPEX. MR. SMITH HIGHLY PRAISES XYPEX IN THE ARTICLE.

* CONCRETE TANKS

No: 08914

	AUSTRALIA
Owner	VARIOUS TANK REPAIRS AROUND WESTERN AUSTRALIA
Applicator	WESTERN DISTRICT TANK REPAIRS
Proj. Type	RESERVOIRS
Comments	LEN TEELow, OWNER OF WESTERN DISTRICT TANK REPAIRS, AND A XYPEX APPLICATOR, PUT HIS SKILL TO WORK TO REPAIR CRACKS TO SEVERAL CEMENT TANKS, WITH EXCELLENT RESULTS, AND ELIMINATING THE NEED FOR THE TANKS TO BE REPLACED.

* STADIUM AUSTRALIA

No: 11676

	HOME BUSH BAY
	AUSTRALIA
Proj. Type	FOUNDATION WALLS & FLOORS
	RESERVOIRS
Total	25,000 CU METRES
Comments	THE WATERPROOFING & PROTECTION OF THE 110,000 SEAT STADIUM, ALONG WITH MANY OTHER VENUES AND FERRY TERMINAL, HAS BEEN CARRIED OUT USING XYPEX ADMIX C-1000/C-2000 AND CONCENTRATE. XYPEX ALSO APPLIED TO FOUR LARGE UNDERGROUND WATER TANKS, LIFT OVER RUN PITS & RETAINING WALLS, SEATING AND SUSPENDED SLABS, EXPOSED SLABS, AND LOWER TIER MOVEABLE SEATING.

* RESERVOIR DU WATERMAELBEEK

No: 12514

	BRUSSELS
	BELGIUM
Proj. Type	RESERVOIRS
Completed	1997

* HOTEL TRAKIA RESERVOIR

No: 12414BGR112

	BULGARIA
Applicator	HYDROSTOP
Proj. Type	RESERVOIRS
Comments	RESERVOIR LOCATED IN BASEMENT OF HOTEL BELOW SEA LEVEL. A TWO-COAT APPLICATION OF CONCENTRATE AND MODIFIED WAS APPLIED TO FULL SURFACE. JOINT REPAIR WAS A MORTAR CONTAINING ADMIX C-1000. XYPEX PREVENTED ALL WATER SEEPAGE FROM OCEAN.

* WATER RESERVOIR "SBOR"

No: 11758BGR106

	BULGARIA
Owner	VK-PAZARDZIK
Applicator	HYDROSTOP-PV
Proj. Type	RESERVOIRS
Total	120 SQ METRES
Completed	June 1999
Comments	THIS RESERVOIR WAS UNUSED FOR MANY YEARS DUE TO SEVERE CRACKING OF CONCRETE. THE ENTIRE RESERVOIR WAS REPAIRED BY ADDING XYPEX ADMIX TO THE CONCRETE, FOLLOWED BY A 2-COAT APPLICATION OF XYPEX CONCENTRATE AND MODIFIED.

* "SOKOLICA" WATER RESERVOIR

No: 12309BGR110

	PLOVDIV
	BULGARIA
Owner	VK PLOVDIV
Applicator	HYDROSTOP-PV
Proj. Type	RESERVOIRS
Total	70 SQ METRES
Completed	March 2000
Comments	DURING THE RE-PIPING AND REFITTING OF THE EQUIPMENT ROOM IN THE POTABLE WATER RESERVOIR XYPEX CONCENTRATE AND XYPEX MODIFIED WERE USED ON THE WALLS AND FLOOR TO PREVENT WATER SEEPAGE INTO THE ROOM.

* NAFTOBAZA "VETREN" RESERVOIR

No: 12304BGR109

	PLOVDIV
	BULGARIA
Owner	PERUN
Applicator	HYDROSTOP-PV
Proj. Type	RESERVOIRS
Total	400 SQ METRES
Completed	02/21/2000
Comments	THE ENTIRE INNTER SURFACE OF THIS RESERVOIR, WHICH IS USED AS THE WATER SUPPLY FOR FIRE PREVENTION, WAS WATERPROOFED WITH A COAT OF XYPEX CONCENTRATE. ALL WORKING JOINTS AND CRACKS WERE TREATED PRIOR TO THE APPLICATION.

* ROZINO WATER RESERVOIR

No: 11705BGR105

	ROZINO
	BULGARIA
Owner	VK - PLOVDIV
Applicator	HYDROSTOP-PV
Proj. Type	RESERVOIRS
Total	500 SQ METRES
Completed	May 1999
Comments	THIS 40 YEAR OLD RESERVOIR HAD CONSIDERABLE LOSS OF WATER DUE TO POOR QUALITY CONCRETE AND DETERIORATION. EXTRA CONCRETE WAS APPLIED TO FILL POCKETS AND REPAIR ALL JOINTS. XYPEX CONCENTRATE, MODIFIED AND PATCH 'N PLUG WAS USED DURING REPAIR AND APPLIED OVER THE ENTIRE SURFACE.

* WOMETCO ENTERPRISES (COCA COLA COMPANY)

No: 02311

	NASSAU
	BAHAMAS
Owner	WOMETCO ENTERPRISES
Contractor	EDWARD J. GERRITS, INC.
Applicator	EDWARD J. GERRITS
Proj. Type	RESERVOIRS
Comments	TANK WALLS, COCA COLA BOTTLING PLANT.

* BERMUDA WATER TANK

No: 08021

	HAMILTON
	BERMUDA
Owner	NATO
Designer	US NAVY FAC. ENGINEERING COMMAND
Contractor	G&C ENTERPRISES
Applicator	G&C ENTERPRISES
Proj. Type	RESERVOIRS
Total	20,000 SQ FT
Completed	1993
Comments	A TWO-COAT SYSTEM OF XYPEX CONCENTRATE AND MODIFIED WAS USED TO WATERPROOF THIS RESERVOIR. THIS POTABLE WATER TANK IS USED BY THE U.S.NAVY FOR THE NATO BASE LOCATED IN HAMILTON, BERMUDA. THE APPLICATION OF THE XYPEX WAS CARRIED OUT BY G&C ENTERPRISES UNDER THE SUPERVISION OF FACTORY REPRESENTATIVES.

* VILA XAVIER ELEVATED RESERVOIR

No: 11003

	ARARAQUARA
	BRAZIL
Owner	ARARAQUARA CITY HALL (DAEE)
Contractor	PIRES & GIOVANETTI ENGENHARIA E ARETURA
Applicator	PIRES & GIOVANETTI ENGENHARIA E ARETURA
Proj. Type	RESERVOIRS
Completed	August/97
Comments	XYPEX PATCH 'N PLUG WAS APPLIED TO CRACKS AND INFILTRATIONS FROM THE EXTERNAL SIDE OF THE RESERVOIR. XYPEX CONCENTRATE AND MOFIED WAS THEN APPLIED TO THE ENTIRE SURFACE. VILA XAVIER IS ONE OF THE LARGEST ELEVATED RESERVOIRS IN BRAZIL.

* RESERVOIR BELVEDERE

No: 11025

	BELO HORIZONTE/MG
	BRAZIL
Owner	COPASA MG
Contractor	COLISA
Applicator	COLYMAR ENGENHARIA
Proj. Type	RESERVOIRS
Total	250 SQ METRES
Completed	April 1998
Comments	DRY-PACK WAS APPLIED TO TREAT ALL CRACKS, FOLLOWED BY A SPRAY-GUN APPLICATION OF XYPEX CONCENTRATE AND MODIFIED TO THE ENTIRE AREA.

* RESERVOIR BETIM VELHO

No: 11026

	BETIM/MG
	BRAZIL
Owner	COPASA MG
Contractor	COLISA
Applicator	COLYMAR ENGENHARIA
Proj. Type	RESERVOIRS
Total	1,200 SQ METRES
Completed	May 1998
Comments	XYPEX CONCENTRATE AND MODIFIED WAS APPLIED BY SPRAY GUN TO THE ENTIRE SURFACE OF THE RESERVOIR.

* SAO JOSE RESERVOIR

No: 10271

	CURITIBA, PARANA
	BRAZIL
Owner	CURITIBA CITY HALL (SANEPAR-PR)
Contractor	CONSTRUBLOK ENGENHARIA
Applicator	CONSTRUBLOK ENGENHARIA
Proj. Type	RESERVOIRS
Completed	April, 1997
Comments	XYPEX ADMIX USED IN THE CONCRETE OF THIS 4000 CU. M. RESERVOIR TO WATERPROOF THE CONCRETE. XYPEX CONCENTRATE WAS ALSO USED TO WATERPROOF THE CONSTRUCTION JOINTS. IT WAS INSTALLED IN ALL JOINTS AT A RATE OF 1 KQ. PER S.M.

* PORTAL DAS ROSAS ELEVATED RESERVOIR

No: 10274

	LIMEIRA
	BRAZIL
Owner	LIMEIRA CITY HALL (AGUAS DE LIMEIRA)
Contractor	PIRES, GIOVANETTI E GUARDIA ENGENHARIA
Applicator	PIRES, GUIOVANETTI E GUARDIA ENGENHARIA
Proj. Type	RESERVOIRS
Completed	Feb. 1997
Comments	ALL CRACKS AND INFILTRATIONS WERE TREATED FROM THE EXTERNAL SIDE OF THIS RESERVOIR USING XYPEX CONCENTRATE AND PATCH 'N PLUG. WORK WAS PERFORMED WITHOUT STOPPAGE OF OPERATION OF THE RESERVOIR.

* GIOCONDA RESERVOIR

No: 10270

	PORTO ALEGRE
	BRAZIL
Owner	PORTO ALEGRE CITY HALL (DMAE)
Contractor	ARCHEL ENGENHARIA
Applicator	ARCHEL ENGENHARIA
Proj. Type	RESERVOIRS
Completed	March 1997
Comments	ALL CRACKS AND JOINTS WERE TREATED WITH XYPEX "DRY-PAC" FOLLOWED BY A TWO-COAT APPLICATION OF XYPEX CONCENTRATE OVER THE INTERIOR SURFACE.

* CARLOS GOMES RESERVOIR

No: 10073

	PORTO ALEGRE
	BRAZIL
Owner	CITY OF PORTO ALEGRE (DMAE/RS)
Contractor	ARCHEL ENGENHARIA
Applicator	ARCHEL ENGENHARIA
Proj. Type	RESERVOIRS
Total	1,850 SQ METRES
Completed	08/10/96
Comments	XYPEX WAS USED TO STOP THE LOSS OF A SUBSTANTIAL AMOUNT OF WATER FROM THIS 3 MILLION LITRE RESERVOIR. DRY-PAC WAS APPLIED TO 150 METERS OF CRACKS, FOLLOWED BY TWO COATS OF CONCENTRATE TO THE INTERIOR WALLS AND SLABS.

* SAO LUIS RESERVOIR

No: 10074

	PORTO ALEGRE
	BRAZIL
Owner	CITY OF PORTO ALEGRE (DMAE/RS)
Contractor	ARCHEL ENGENHARIA
Applicator	ARCHEL ENGENHARIA
Proj. Type	RESERVOIRS
Total	2,393 SQ METRES
Completed	09/23/96
Comments	THIS RESERVOIR, WITH A CAPACITY OF 3 MILLION LITRES, REQUIRED 150 METERS OF CRACK REPAIR TO BE DONE USING XYPEX DRY-PAC. A TWO-COAT APPLICATION OF CONCENTRATE WAS THEN APPLIED OVER THE ENTIRE INTERIOR OF THE RESERVOIR.

* BELEM NOVO RESERVOIR

No: 10075

	PORTO ALEGRE
	BRAZIL
Owner	CITY OF PORTO ALEGRE (DMAE/RS)
Contractor	ARCHEL ENGENHARIA
Applicator	ARCHEL ENGENHARIA
Proj. Type	RESERVOIRS
Total	2,700 SQ METRES
Completed	02/01/97
Comments	150 METERS OF EXTERNAL CRACKS WAS REPAIRED BY USING XYPEX "DRY-PAC". FOLLOWING CRACK REPAIR, THE ENTIRE INTERIOR OF THE RESERVOIR WAS TREATED WITH XYPEX CONCENTRATE.

* RESERVOIR

No: 11004

RIO DE JANEIRO
BRAZIL
Owner CEDAE COMPANHIA ESTADUAL DE AGUAS E ESGOTOS
Contractor BANDEIRANTES DRAGAGEM E CONSTRUCAO LTDA.
Applicator EVANDO AMADO ENGENHARIA E AR ETURA
Proj. Type RESERVOIRS
Completed October/97
Comments THE XYPEX SYSTEM WAS APPLIED ON THE INTERNAL WALLS, ROOF
DECK AND FLOOR OF THREE RESERVOIRS.

* RESERVOIRS

No: 11005

RIO DE JANEIRO
BRAZIL
Owner CEDAE COMPANHIA ESTADUAL DE AGUAS E ESGOTOS
Contractor GEOMECANICA S.A.
Applicator EVANDO AMADO ENGENHARIA E ARGUITETURA
Proj. Type RESERVOIRS
Total 1,200 SQ METRES
Completed Nov. 1997
Comments XYPEX WAS APPLIED TO THE INTERNAL WALLS, ROOF DECK AND
FLOOR OF THE RESERVOIRS.

* WATER TANKS

No: 12020

BARBADOS, WEST INDIES
Owner MARGATE DEVELOPMENTS
Designer TOWER CONSULTANTS
Contractor WHITTAKER CONSTRUCTION/P&R CONSTRUCTION
Proj. Type RESERVOIRS
Comments BELOW GRATE WATER TANKS WERE TREATED WITH XYPEX TO STOP
WATER SEEPAGE. CONCRETE POURS WERE DONE IN SECTIONS TO
ELIMINATE DAMAGE CAUSED BY WATER PRESSURE.

* ANZAC RESERVOIR

No: 02282

ANZAC, ALBERTA
CANADA
Designer KOLIGER SCHMIDT ARCHITECTS
Contractor CARMACKS
Applicator SUMCON WATERPROOFING LTD.
Proj. Type RESERVOIRS
Total 1,300 SQ FT
Completed 1983

* ANZAC WATER RESERVOIR

No: 02762

	ANZAC, ALBERTA
	CANADA
Owner	FORT McMURRAY BAND
Applicator	SUMCON WATERPROOFING LTD
Proj. Type	RESERVOIRS
Total	2,920 SQ FT
Completed	1986
Comments	INTERIOR SLAB AND WALL SURFACES WERE TREATED WITH XYPEX WATERPROOFING MATERIALS.

* ATHABASCA RESERVOIR

No: 02279

	ATHABASCA, ALBERTA
	CANADA
Designer	TRITEK ARCHITECTS
Contractor	A. V. CARLSON
Applicator	SUMCON WATERPROOFING LTD.
Proj. Type	RESERVOIRS
Total	10,000 SQ FT
Completed	1983

* 500,000 GALLON RESERVOIR

No: 01933

	BON ACCORD, ALBERTA
	CANADA
Designer	EPEC CONSULTING WESTERN LTD.
Applicator	ALTASK CONCRETE WPG. LTD.
Proj. Type	RESERVOIRS

* BONNYVILLE #2 RESERVOIR & PUMPHOUSE

No: 01934

	BONNYVILLE, ALBERTA
	CANADA
Designer	ASSOCIATED ENGINEERING SERVICES LTD.
Applicator	ALTASK CONCR. WPG. LTD.
Proj. Type	RESERVOIRS

* BEDDINGTON RESERVOIR

No: 08067

	CALGARY, ALBERTA
	CANADA
Designer	STANLEY ENGINEERING
Contractor	STUART OLSEN
Applicator	BERNIE BLINN AND/OR STUART OLSEN
Proj. Type	RESERVOIRS
Total	230,000 SQ FT
Comments	30,000 SQ FT VERTICAL 2 COAT APPLICATION 200,000 SQ FT DS1 HORIZONTAL APPLICATION XYPEX TREATMENT PROVIDES WATERPROOFING PROTECTION TO CONCRETE SLAB AND WALLS.

* CHAUVIN WATER RESERVOIR PUMPHOUSE

No: 01936

	CHAUVIN, ALBERTA
	CANADA
Designer	W. J. FRANCL & ASSOCIATES
Applicator	ALTASK CONCRETE WPG.
Proj. Type	RESERVOIRS

* CONKLIN RESERVOIR

No: 02283

	CONKLIN, ALBERTA
	CANADA
Designer	KOLIGER SCHMIDT ARCHITECTS
Contractor	CARMACKS
Applicator	SUMCON WATERPROOFING LTD.
Proj. Type	RESERVOIRS
Total	1,300 SQ FT
Completed	1983

* COUTTS RESERVOIR

No: 02763

	COUTTS, ALBERTA
	CANADA
Owner	VILLAGE OF COUTTS
Designer	ASSOCIATED ENGINEERING
Contractor	QQR MECHANICAL LTD
Applicator	SURFSIDE CONTRACTING
Proj. Type	RESERVOIRS
Total	3,940 SQ FT
Completed	1986
Comments	INTERIOR SLAB AND WALL SURFACES WERE TREATED WITH XYPEX MATERIALS.

* DILLBURY LAKE PROVINCIAL PARK

No: 02287

	DILLBURY LAKE, ALBERTA
	CANADA
Designer	A.H. & P.W. ARCHITECTS
Contractor	RISDALE WESTOVER
Applicator	SUMCON WATERPROOFING LTD.
Proj. Type	RESERVOIRS
Total	14,000 SQ FT
Completed	1983

* ECKVILLE WATER SUPPLY FACILITY

No: 02761

	ECKVILLE, ALBERTA
	CANADA
Owner	TOWN OF ECKVILLE
Designer	UMA ENGINEERING LIMITED
Contractor	BRENEY CONSTRUCTION LIMITED
Applicator	SUMCON WATERPROOFING LTD
Proj. Type	RESERVOIRS
	FOUNDATION WALLS & FLOORS
Total	9,951 SQ FT
Completed	1986
Comments	INTERIOR WALL AND FLOOR SURFACES WERE TREATED WITH 2 COATS OF XYPEX PRODUCTS.

* LONG LAKE PROVINCIAL PARK WATER TREATMENT PLANT

No: 02776

	EDMONTON, ALBERTA
	CANADA
Owner	ALBERTA RECREATION & PARK
Designer	ALBERTA RECREATION & PARKS
Contractor	STRATHCONA CONSTRUCTION
Applicator	SUMCON WATERPROOFING LTD.
Proj. Type	RESERVOIRS
	WATER TREATMENT PLANTS
Total	1,856 SQ FT
Completed	1986
Comments	THE SLABS & INTERIOR WALL SURFACES WERE TREATED WITH XYPEX PRODUCTS.

* CLAREVIEW RESERVOIR

No: 01937

	EDMONTON, ALBERTA
	CANADA
Owner	CITY OF EDMONTON
Designer	M.B. ENGINEERING LTD.
Contractor	FOUNDATION CO. OF CANADA
Applicator	ECW LTD.
Proj. Type	RESERVOIRS
Total	172,000 SQ FT
Completed	1979
Comments	2 COATS OF XYPEX CONCENTRATE WERE APPLIED TO THE INTERIOR WALLS, FLOOR SLAB AND COLUMNS ON THIS 16.5 MILLION GALLON RESERVOIR.

* CASTLE DOWNS RESERVOIR

No: 01935

	EDMONTON, ALBERTA
	CANADA
Owner	CITY OF EDMONTON
Designer	W. J. FRANCL & ASSOCIATES
Contractor	CANA CONSTRUCTION CO. LTD
Applicator	MIDWEST CONCR. WPG. LTD.
Proj. Type	RESERVOIRS
Comments	TWO COATS OF XYPEX CONCENTRATE WERE APPLIED TO THE 8.5 MILLION GALLON RESERVOIR

* DEGASIFICATION PLANT

No: 08035

	EDSON, ALBERTA
	CANADA
Designer	MAXIM ENGINEERING
Contractor	BARRON CONTRACTING
Proj. Type	RESERVOIRS

* GROUARD RESERVOIR

No: 02281

	GROUARD, ALBERTA
	CANADA
Designer	SASKMONT ENGINEERING
Contractor	WATSON TOFIELD
Applicator	SUMCON WATERPROOFING LTD.
Proj. Type	RESERVOIRS
Total	2,400 SQ FT
Completed	1983

* HOBEMMA RESERVOIR

No: 02556

 HOBEMMA, ALBERTA
 CANADA
Owner ERMINSKIN BAND
Designer TOP NICK ENGINEERING LTD
Contractor ROMAN EQUIPMENT
Applicator SUMCON WATERPROOFING LTD
Proj. Type RESERVOIRS
Total 13,000 SQ FT
Completed 1984

* JOUSSARD RESERVOIR

No: 02284

 JOUSSARD, ALBERTA
 CANADA
Designer EPEC CONSULTING ARCHITECTS
Contractor PAT GARRETT
Applicator SUMCON WATERPROOFING LTD.
Proj. Type RESERVOIRS
Total 3,000 SQ FT
Completed 1983

* BEAVER LAKE RESERVOIR

No: 02774

 LAC LA BICHE, ALBERTA
 CANADA
Owner BEAVER LAKE INDIAN RESERVE COUNCIL
Designer 3 DN ENGINEERING
Contractor LASSO CONSTRUCTION LTD
Applicator SUMCON WATERPROOFING LTD
Proj. Type RESERVOIRS
 PUMP STATIONS
Total 5,000 SQ FT
Completed 1985
Comments THE WALLS & FLOOR OF THE RESERVOIR & THE PUMP STATION
 WERE REPAIRED WITH XYPEX PRODUCTS.

* LACOMBE RESERVOIR

No: 02274

 LACOMBE, ALBERTA,
 CANADA
Designer U.M.A. ARCHITECTS
Contractor WATSON TOFIELD CONSTR.
Applicator SUMCON WATERPROOFING
Proj. Type RESERVOIRS
Total 21,000 SQ FT
Completed 1983

* LEDUC RESERVOIR

No: 02278

	LEDUC, ALBERTA
	CANADA
Designer	ASSOCIATED ENGINEERING SERVICES LTD.
Contractor	CAPTON HOLDINGS
Applicator	OWN FORCES
Proj. Type	RESERVOIRS
Total	34,000 SQ FT
Completed	1983

* CHIN-CHUTE/RAYMOND RESERVOIR

No: 08129

	LETHBRIDGE, ALBERTA
	CANADA
Owner	RAYMOND COUNTY
Designer	CH2M HILL ENGINEERS
Contractor	STUART OLSEN
Applicator	ALBERTA DAMPPROOFING
Proj. Type	RESERVOIRS
Completed	1994

* MAYERTHORPE PURE WATER RESERVOIR

No: 01939

	MAYERTHORPE, ALBERTA
	CANADA
Owner	SAME
Designer	UNDERWOOD MACLELLAN
Contractor	BLR CONSTRUCTION
Proj. Type	RESERVOIRS
Completed	1980
Comments	XYPEX WAS SUCCESSFULLY USED TO REPAIR SEVERE CRACKING IN CONCRETE TANK. THIS RESTORATION WAS UNDERTAKEN AFTER ANOTHER PRODUCT FAILED TO PERFORM TO THE SATISFACTION OF THE END CLIENT.

* MILLWOODS RESERVOIR

No: 01940

	MILLWOODS, ALBERTA
	CANADA
Designer	REID CROWTHER & PARTNERS
Applicator	ALTASK CONCR. WPG. LTD.
Proj. Type	RESERVOIRS

* OKOTOKS WATER SUPPLY & STORAGE

No: 01941

OKOTOKS, ALBERTA
CANADA
Designer EPEC CONSULTING LTD.
Applicator ALTASK CONCR. WPG. LTD.
Proj. Type RESERVOIRS

* SANDY LAKE RESEVOIR

No: 02764

SANDY LAKE, ALBERTA
CANADA
Owner IMPROVEMENT DISTICT NO 17
Designer BUTLER KREBES LEWIS ASSOCIATES
Contractor NORTH AMERICAN ROAD
Applicator SUMCON WATERPROOFING LTD
Proj. Type RESERVOIRS
Total 4,274 SQ FT
Completed 1986
Comments INTERIOR SLAB AND WALL SURFACES WERE TREATED WITH XYPEX
WATERPROOFING MATERIALS.

* SANGUDO RESERVOIR

No: 02765

SANGUDO, ALBERTA
CANADA
Owner VILLAGE OF SANGUDO
Designer PHOENIX GROUP
Contractor RWK CONSTRUCTION
Applicator SUMCON WATERPROOFING LTD
Proj. Type RESERVOIRS
Total 4,084 SQ FT
Completed 1986
Comments INTERIOR SLABS AND WALL SURFACES WERE TREATED WITH
XYPEX PRODUCTS.

* OAKMONT RESERVOIR & PUMPHOUSE

No: 08738

ST. ALBERT, ALBERTA
CANADA
Owner CITY OF ST. ALBERT
Designer SLG STANLEY ENGINEERING
Contractor SUREFORM CONSTRUCTION
Applicator GARY J. PLUNKETT
Proj. Type RESERVOIRS
PUMP STATIONS
Total 36,000 SQ FT
Completed 07/31/95

* STETTLER WASTE WATER TREATMENT PLANT

No: 02280

	STETTLER, ALBERTA
	CANADA
Designer	U.M.A. ARCHITECTS
Contractor	FIDELITY MAXAM
Applicator	SUMCON WATERPROOFING LTD.
Proj. Type	RESERVOIRS
	SEWAGE & WASTEWATER TREATMENT PLANTS
Total	27,000 SQ FT
Completed	1983

* 79TH AVENUE RESERVOIR

No: 08145

	STONY PLAIN, ALBERTA
	CANADA
Designer	ASSOCIATED ENGINEERING
Contractor	NASON CONSTRUCTION
Proj. Type	RESERVOIRS
Comments	XYPEX DS1 WAS INSTALLED BY NASON CONSTRUCTION ON RESERVOIR FLOOR (20,000 SQ. FT.) THE WALLS WERE TREATED WITH A COAT OF XYPEX CONCENTRATE APPLIED BY ALBERTA DAMPROOFING & WATERPROOFING OF CALGARY

* 17TH STREET RESERVOIR & PUMPHOUSE

No: 01938

	STRATHCONA, ALBERTA
	CANADA
Designer	ASSOCIATED ENGINEERING SERVICES LTD.
Applicator	ALTASK CONC. WPG. LTD.
Proj. Type	RESERVOIRS

* MCKEE WATER RESERVOIR

No: 09978

	ABBOTSFORD, BRITISH COLUMBIA
	CANADA
Contractor	KINGSTON CONSTRUCTION
Applicator	KINGSTON CONSTRUCTION
Proj. Type	RESERVOIRS
Total	1800 LBS
Comments	DSI APPLIED TO THE LID OF THE RESERVOIR. XYPEX CONCENTRATE APPLIED TO SEAL HAIRLINE CRACKS IN THE TANK WALLS.

* ALLOUETTE RIVER CORRECTION CAMP

No: 01942

	ALLOUETTE, BRITISH COLUMBIA
	CANADA
Owner	DEPT.OF FISHERIES & OCEAN
Applicator	CAMP SUPERINTENDENT &CREW
Proj. Type	RESERVOIRS
Completed	1980
Comments	INTERIOR OF TANK WAS REPAIRED AND TREATED WITH XYPEX. HONEYCOMBING, CRACKS AND OTHER DEFECTS WERE REPAIRED WITH PATCH'N PLUG FOLLOWED BY A TWO-COAT APPLICATION OF XYPEX CONCENTRATE TO THE INTERIOR OF THE TANK.

* MT. WASHINGTON WATER RESERVOIR

No: 02597

	COURTNAY, BRITISH COLUMBIA
	CANADA
Applicator	UPLAND CONSTRCTN SUPPLIES
Proj. Type	RESERVOIRS
Total	16,000 SQ FT
Comments	160 LIN FT. TO BE FILLED WITH WATER WEEK OF OCTOBER 27, 1980. ALL WALLS AND CRACKS REPAIRED AFTER EXTENSIVE LEAKAGE WAS DISCOVERED.

* FOREST GROVE RESERVOIR

No: 02323

	HUNDRED MILE HS, BRITISH COLUMBIA
	CANADA
Owner	REGIONAL DISTRICT
Designer	URBAN SYSTEMS LTD.
Contractor	INLAND BRIDGE LTD.
Applicator	URBAN SYSTEMS LTD.
Proj. Type	RESERVOIRS
Comments	SEALING STRIPS AND INTERIOR WALLS.

* KAMLOOPS WATER RESERVOIR

No: 01944

	KAMLOOPS, BRITISH COLUMBIA
	CANADA
Designer	STANLEY & ASSOCIATES
Contractor	MANSON BROS. CONSTR. LTD.
Proj. Type	RESERVOIRS
Comments	XYPEX CONCENTRATE WAS APPLIED TO THIS 2.3 MILLION GALLON WATER RESERVOIR.

* WESTPORT RESERVOIR

No: 11172

KAMLOOPS, BRITISH COLUMBIA
CANADA
Contractor JJM CONSTRUCTION
Applicator JJM CONSTRUCTION
Proj. Type RESERVOIRS

* DILWORTH MOUNTAIN RESERVOIR

No: 01945

KELOWNA, BRITISH COLUMBIA
CANADA
Owner CITY OF KELOWNA
Contractor DAON DEVELOPMENT CORP.
Applicator AMARAK ENTERPRISES LTD.
Proj. Type RESERVOIRS
Comments WALLS AND FLOORS.

* COLDSTREAM LAVINGTON WATER RESERVOIR

No: 01930

KELOWNA, BRITISH COLUMBIA
CANADA
Owner DISTRICT OF COLDSTREAM
Designer K.C. ENGINEERING ASSOCIATES LTD.
Contractor MADDOCKS CONSTRUCTION LTD
Proj. Type RESERVOIRS
Completed 1983
Comments ALL SURFACES AND COLD JOINTS

* WEST GLENMORE HIGH LEVEL WATER SUPPLY

No: 08523

KELOWNA, BRITISH COLUMBIA
CANADA
Owner CITY OF KELOWNA
Designer KELOWNA CITY ENGINEERING DEPARTMENT
Contractor MACON CONSTRUCTION
Applicator MACON CONSTRUCTION
Proj. Type RESERVOIRS
PUMP STATIONS
Comments 11 PAILS 60 LB. DS1, 15 PAILS 60 LB. CONCENTRATE AND 15
PAILS 60 LB. MODIFIED WERE APPLIED BY THE CONTRACTOR.

* RESERVOIR No: 02251

KITSEGUCLA, BRITISH COLUMBIA
CANADA
Designer WILLIS CUNLIFFE & TAIT
Contractor JENNA CONSTRUCTION LTD.
Proj. Type RESERVOIRS
Comments TWO COAT APPLICATION TO INTERIOR SURFACE OF TANK OF
100,000 GALLON RESERVOIR.

* CITY OF LANGLEY FRESH WATER RESERVOIR No: 11932

LANGLEY, BRITISH COLUMBIA
CANADA
Owner CITY OF LANGLEY
Designer ASSOCIATED ENGINEERING
Contractor SURE-FORM CONSTRUCTION LTD.
Applicator CARL LABOISSIERE WATERPROOFING
Proj. Type RESERVOIRS
Total 103,000 SQ FT
Completed Feb. 2000
Comments THIS 16-MILLION GALLON RESERVOIR WAS WATERPROOFED BY
XYPEX. THE FLOORS RECEIVED AN APPLICATION OF DS-1, ALL
CRACKS AND TIE HOLES WERE TREATED WITH THE XYPEX
SYSTEM. ONE COAT OF CONCENTRATE AND ONE COAT OF
MODIFIED WAS APPLIED TO THE WALLS.

* D. MEYER GREEN HOUSE No: 01946

MAPLE RIDGE, BRITISH COLUMBIA
CANADA
Owner SAME
Applicator ENGINEERED CONCR. WPG.
Proj. Type RESERVOIRS
Completed 1981

* GREENWOOD PARK RESERVOIR No: 01947

N. VANCOUVER, BRITISH COLUMBIA
CANADA
Designer DAYTON & KNIGHT
Contractor RIDGEWAY PACIFIC
Applicator INDUSTRIAL WATERPROOF SYSTEMS LTD.
Proj. Type RESERVOIRS
Comments XYPEX CONCENTRATE WAS USED TO WATERPROOF TIE HOLES,
AROUND WATER PIPES, BELOW GRADE WALLS, AND ROOF OF
VALVE CHAMBER BEFORE BACKFILLING.

* OSOY00S WEST BENCH INDUSTRIAL RESERVOIR

No: 01948

OSOY00S, BRITISH COLUMBIA
CANADA
Owner CITY OF OSOY00S
Contractor AMRAK ENTERPRISES
Applicator AMRAK ENTERPRISES LTD.
Proj. Type RESERVOIRS
Comments WALLS AND FLOORS.

* OYAMA RESERVOIR

No: 09681

OYAMA, BRITISH COLUMBIA
CANADA
Designer MOULD ENGINEER
Contractor MANDRAX ENTERPRISES
Proj. Type RESERVOIRS
Total 5,000 LBS
Comments DARYL AT NCA CALLED REGARDING THE APPLICATION OF XYPEX
ON THIS PROJECT 06/07/1996.

* PARKSVILLE RESERVOIR

No: 01949

PARKSVILLE, BRITISH COLUMBIA
CANADA
Owner CITY OF PARKSVILLE
Applicator WEST COAST WPG. LTD.
Proj. Type RESERVOIRS
Total 11,200 SQ FT
Comments CHIP PATCH AND SLURRY TANKS.

* VILLAGE OF PEMBERTON - RESERVOIR

No: 11112

PEMBERTON, BRITISH COLUMBIA
CANADA
Owner VILLAGE OF PEMBERTON
Applicator PACIFIC CONCRETE WATERPROOFING
Proj. Type RESERVOIRS
Total 64 SQ FT
Completed 08/10/98
Comments FOUR PAILS OF PATCH 'N PLUG AND THREE PAILS OF
CONCENTRATE WAS USED TO CRACK REPAIR AND WATERPROOF A
SECTION OF THIS RESERVOIR.

* UNIVERSITY OF NORTHERN B.C.

No: 07846

PRINCE GEORGE, BRITISH COLUMBIA
CANADA
Owner UNIVERSITY OF NORTHERN B.C.
Designer DUNCAN & ASSOCIATES
Contractor WAYNE WATSON
Applicator WAYNE WATSON
Proj. Type RESERVOIRS
Total 25,000 SQ FT
Completed 0/15/94

* CLEARVIEW

No: 07777

RICHMOND, BRITISH COLUMBIA
CANADA
Owner XYPEX
Designer FAURE DESIGNER AND ASSOC.
Proj. Type WATER TREATMENT PLANTS
RESERVOIRS

* ROYSTON IMPROVEMENT DISTRICT RESERVOIR

No: 09289

ROYSTON, BRITISH COLUMBIA
CANADA
Owner CITY OF ROYSTON
Applicator PACIFIC CONCRETE WATERPROOFING
Proj. Type RESERVOIRS
Completed 09/18/95
Comments THIS IS A 250,000 GALLON RESERVOIR. A COAT OF MODIFIED
AND A COAT OF CONCENTRATE WAS APPLIED TO THE ROOF,
INTERIOR WALLS AND FLOOR. THE TANK IS CONSTRUCTED OF
GUNITE - 4 INCH WALLS AND ROOF. CRACKS IN THE ROOF AND
AT CENTRE LINE OF TANK WALLS WERE REPAIRED FROM INSIDE
AND TWO COATS OF CONCENTRATE APPLIED ON EXTERIOR
CRACKS.

* DEAN PARK RESERVOIR

No: 08695

SAANICH, BRITISH COLUMBIA
CANADA
Contractor KNAPPETT CONSTRUCTION
Applicator KNAPPETT CONSTRUCTION
Proj. Type RESERVOIRS
Total 2,000 LBS
Completed 06/09/95

* SKELTON II RESERVOIR

No: 01950

SALMON ARM, BRITISH COLUMBIA
CANADA
Applicator AMRAK ENTERPRISES LTD.
Proj. Type RESERVOIRS
Comments WALLS AND FLOORS.

* SAN-LAND WATERWORKS RESERVOIRS

No: 02340

SILVER CREEK, BRITISH COLUMBIA
CANADA
Owner SAN-LAND ENTERPRISES LTD.
Contractor MARTENS CONSTRUCTION LTD.
Applicator MARTENS CONSTRUCTION LTD.
Proj. Type RESERVOIRS
Total 1,100 LBS
Completed 1985
Comments INTERIOR OF RESERVOIR WAS LINED WITH 2 COATS
CONCENTRATE & MODIFIED. 88,000 GAL RESERVOIR. 1,100
LBS.

* SOOKE LAKE HEAD RESERVOIR

No: 07872

SOOKE, BRITISH COLUMBIA
CANADA
Owner GRATER VICTORIA WATER DISTRICT
Designer GREATER VICTORIA WATER DIST.
Contractor GRATER VICTORIA WATER DIST.
Applicator LEN'S WATERPROOFING
Proj. Type RESERVOIRS

* DOME GREENHOUSES LTD.

No: 02294

SURREY, BRITISH COLUMBIA
CANADA
Proj. Type RESERVOIRS
Comments XYPEX CONCENTRATE AND MODIFIED WERE USED TO LINE THREE
LARGE TANKS UNDER ONE OF THE GREENHOUSES.

* HIRAM & WALKER DISTILLERIES WATER STORAGE TANK No: 01943

VANCOUVER, BRITISH COLUMBIA
CANADA
Contractor MANSON BROS.CONSTR. LTD.
Proj. Type RESERVOIRS
Comments 500,000 GALLONS WATER TANK.

* MARIGOLD PUMP STATION No: 01951

VICTORIA, BRITISH COLUMBIA
CANADA
Designer WILLIS CUNLIFFE & TATE ENGINEERS
Applicator FARMER CONSTRUCTION
Proj. Type RESERVOIRS
Total 7,000 LBS

* GIBBON ROAD RESERVOIR #1 No: 08348

VICTORIA, BRITISH COLUMBIA
CANADA
Designer DUNCAN & ASSOCIATES
Contractor PERMA CONSTRUCTION
Applicator DIVERSIFIED CONSTRUCTION SERVICES
Proj. Type RESERVOIRS
Total 15,000 SQ FT
Completed 03/00/94
Comments NSF APPROVAL REQUIRED.
JULY 1995: CONTACTED NCA (ROBIN), IN VICTORIA, WHO ADVISED THAT
PROJECT COMPLETED MARCH/94.

* BEAR HILL RESERVOIR No: 10780

VICTORIA, BRITISH COLUMBIA
CANADA
Owner CITY OF VICTORIA
Proj. Type RESERVOIRS
Total 5,000 SQ FT
Comments 14 PAILS OF CONCENTRATE AND 13 PAILS OF MODIFIED WERE
USED ON THIS PROJECT.

* NEW BRANDON RESERVOIR No: 01966

	BRANDON, MANITOBA
	CANADA
Designer	UNDERWOOD MCLELLAN & ASSOCIATES
Contractor	WELLS CONSTRUCTION CO.LTD
Proj. Type	RESERVOIRS
Completed	1970
Comments	XYPEX WAS APPLIED TO THIS 4 MILLION GALLON WATER RESERVOIR IN THE FALL OF 1970.

* SHOAL LAKE WATER RESERVOIR No: 03024

	SHOAL LAKE, MANITOBA
	CANADA
Owner	TOWN OF SHOAL LAKE
Designer	M.B. WATER SERVICE
Contractor	LAKE VIEW CONTRACTING
Applicator	LAKE VIEW CONTRACTING
Proj. Type	RESERVOIRS
Total	6,000 SQ METRES
Completed	1990

* GREENWOOD PARK TRAILER SITES No: 01929

	FREDERICTON, NEW BRUNSWICK
	CANADA
Owner	ABE LEVINE AND SONS LTD.
Designer	A.D.I. LIMITED
Contractor	HUSKEY CONSTRUCTION LTD
Applicator	HUSKEY CONSTRUCTION LTD.
Proj. Type	RESERVOIRS
Total	2,450 SQ FT
Completed	1983
Comments	OWNERS ADDRESS: 320 QUEEN ST., FREDERICTON. NB. APPLICATION WAS UNDER THE SUPERVISION OF SEALCRETE

* NEW MARYLAND WATER RESERVOIR No: 02810

	FREDRICKTON, NEW BRUNSWICK
	CANADA
Applicator	SEALCRETE LTD
Proj. Type	RESERVOIRS
Total	100 LIN FT
Completed	1984
Comments	XYPEX TREATMENT WAS PERFORMED ON LEAKING CONSTRUCTION JOINTS IN THE WALLS AND SLAB.

* IQUALUIT (FROBISHER BAY) WATER RESERVOIR

No: 09473

	BAFFIN ISLAND, NW TERRITORIES
	CANADA
Designer	REID CROWTHER & PART.
Contractor	TOWER ARCTIC
Applicator	TOWER ARTIC
Proj. Type	RESERVOIRS
Total	3,000 LBS
Comments	APPROXIMATELY 12,000 SQ. FT. WILL BE TREATED STARTING SEPT.7, 1996.

* YELLOWKNIFE RESERVOIR #4

No: 01973

	YELLOWKNIFE, NW TERRITORIES
	CANADA
Owner	CITY OF YELLOWKNIFE
Designer	REID CROWTHER & PARTNERS
Contractor	PCL CONSTRUCTION
Applicator	ENGINEERED CONCR. WPG.
Proj. Type	RESERVOIRS
Total	50,000 SQ FT
Completed	1978
Comments	CONCENTRATE & MODIFIED WERE USED TO LINE THIS 250,000 GALLON RESERVOIR AND REPAIR VARIOUS DEFECTS IN THE CONCRETE. THE ROOF SLAB AND JOINTS WERE ALSO SEALED WITH XYPEX.

* HEARST WATER TREATMENT PLANT

No: 02272

	HEARST, ONTARIO
	CANADA
Designer	NORTHLAND ENGINEERING
Contractor	HEMBRUFF & DRAMBROWIT
Proj. Type	WATER TREATMENT PLANTS RESERVOIRS
Comments	CONCENTRATE AND MODIFIED. AREAS OF APPLICATION INCLUDED RESERVOIR CLEAR WELLS AND FILTER BUILDING WALLS AND FLOOR.

* NANTICOKE RESERVOIR AND PUMPHOUSE

No: 01975

	NANTICOKE, ONTARIO
	CANADA
Designer	PROCTER & REDFERN
Contractor	COLLAVINO BROS. LTD.
Applicator	APRIL WATERPROOFING LTD.
Proj. Type	RESERVOIRS
Comments	CONCENTRATE WAS APPLIED TO THE WALLS, ROOFS, AND SLABS ON GRADE.

* TORONTO METRO TRANSPORTATION OVERPASS TANK

No: 10743

	TORONTO, ONTARIO
	CANADA
Owner	METRO TRANSPORTATION
Designer	METRO TRANSPORTATION
Applicator	MULTISEAL, INC.
Proj. Type	RESERVOIRS
Total	2,000 SQ FT
Completed	10/15/1997
Comments	XYPEX USED TO WATERPROOF AND REPAIR STORM WATER STORAGE TANK

* KEY LAKE RESEVOIR

No: 02768

	KEY LAKE, SASKATCHEWAN
	CANADA
Designer	WRIGHT ENGINEERING
Contractor	BCIJV CONTRACTORS
Proj. Type	RESERVOIRS
Total	1,000 LBS
Completed	1983
Comments	REPAIR OF CRACKS IN COOLING TOWERS CELLS USING XYPEX PRODUCTS.

* MACKLIN RESERVOIR

No: 02596

	MACKLIN, SASKATCHEWAN
	CANADA
Designer	EPEC CONSULTING
Applicator	ROC CON SUPPLIES
Proj. Type	RESERVOIRS
Total	6,500 SQ FT
Comments	6,500 SQ FT WALLS COATED, 240 LIN FT CONSTRUCTION JOINTS REPAIRED. LEAKING 1,200 GALLONS PER DAY BEFORE XYPEX APPLICATION.

* RESERVOIR No: 01977

	NEILBURG, SASKATCHEWAN
	CANADA
Owner	CITY
Designer	EPEC CONSULTING
Applicator	ROC CON SUPPLIES
Proj. Type	RESERVOIRS
Comments	CRACKS, HONEYCOMBING AND OTHER DEFECTS WERE REPAIRED AND ENTIRE INSIDE SURFACE WAS TREATED A COAT OF CONCENTRATE.

* WATER RESERVOIR No: 02237

	NEILBURG, SASKATCHEWAN
	CANADA
Owner	CITY
Designer	EPEC CONSULTING
Applicator	ROC CON SUPPLIES
Proj. Type	RESERVOIRS
Total	3,100 SQ FT
Comments	CRACKS, HONEYCOMBING AND OTHER DEFECTS WERE REPAIRED AND ENTIRE INSIDE SURFACE WAS TREATED WITH A SINGLE COAT.

* CITY OF REGINA WATER RESERVOIR No: 01978

	REGINA, SASKATCHEWAN
	CANADA
Proj. Type	RESERVOIRS
Comments	MANY VOIDS AND CRACKS WERE SEALED OFF WITH XYPEX ULTRA PLUG WHILE RESERVOIR WAS FULL OF WATER.

* COPPER RIDGE RESERVOIR No: 09089

	WHITEHORSE, YUKON TERRITORY
	CANADA
Owner	CITY OF WHITEHORSE
Designer	DAVID NAIRNS ASSOC/STANLEY ENGINEERS
Contractor	TSL CONTRACTORS
Applicator	GARY J. PLUNKETT, AGENT
Proj. Type	RESERVOIRS
Total	40,000 SQ FT
Completed	06/25/95

* GRIMSEL HYDRO POWER STATION

No: 02089

	GRIMSEL
	SWITZERLAND
Owner	KWO KRAFTWERKE OBERHASLI AG
Designer	I.U.B. INGENIEUR NEHMUNG AG BERN
Proj. Type	TUNNELS & SUBWAY SYSTEMS
	RESERVOIRS
Comments	XYPEX USED AT 10-TON CABLE CAR STATION, WHICH IS BUILD INTO ROCK, SHOTCRETE TUNNEL SECTION, VALVE HOUSE AND POWER HOUSE 3 KM INSIDE MOUNTAIN, FRESH WATER RESERVOIR, ENTRANCEWAYS, MACHINE ROOMS, CHANNELS, RETAINING WALLS AND TRANSFORMER STATIONS AND PITS.

* QINHUANGDAO TAOLINKOU RESERVOIR JIFANG WATERPROOF.

No: 11395

	HEBAI QINHUANGDAO
	PEOPLE'S REP. OF CHINA
Owner	HEBAI WATER CONSER./POWER RECONN. RESEARCH INST.
Designer	HEBEI SHUIDIAN NO. 3 PUNISH NO. 2 OFFICE
Proj. Type	RESERVOIRS
Total	100 SQ METRES
Completed	Oct. 1997

* ENERGOCENTRUM KLADNO

No: 12542CZE482

	CZECH REPUBLIC
Owner	ENERGOCENTRUM KLADNO
Contractor	VOJENSKE STAVBY CZ A.S., BRANCH BRANDYS N.L.
Applicator	ABV S.R.O.
Proj. Type	RESERVOIRS
	CHEMICAL & CHLORIDE PROTECTION
Total	330 SQ METRES
Completed	July 1998
Comments	AFTER THOROUGH CLEANING AND REPAIR, THE SURFACE OF THE CONCRETE RESERVOIR CONTAINING BLACK OIL WAS TREATED WITH AN APPLICATION OF MONOCRETE BY BETOSAN FOLLOWED BY AN APPLICATION OF XYPEX.

* IMPOUNDING RESERVOIR - TRACKAGE 120, 121 RL No: 12569CZE476

	CZECH REPUBLIC
Contractor	ARMABETON
Applicator	HIPOS, S.R.O.
Proj. Type	RESERVOIRS
	CHEMICAL & CHLORIDE PROTECTION
Total	634 SQ METRES
Completed	April 1998
Comments	CONCRETE IMPOUNDING RESERVOIRS AND CHANNELS ON THE TRACKAGE 120, 121 RL WERE TREATED BY XYPEX TO PREVENT OIL LEAKAGE.

* POWER PLANT - RESERVOIRS No: 12576CZE414

	CHVALETICE
	CZECH REPUBLIC
Owner	SKODA ETD PLZEN - ING. GRGURI
Designer	HUTNI PROJEKT PLZEN A.S.
Applicator	MILAN WIESNER - MIWISAN - SANACE
Proj. Type	RESERVOIRS
	CHEMICAL & CHLORIDE PROTECTION
Total	130 SQ METRES
Completed	April 1998
Comments	THE RESERVOIRS UNDER THE TRANSFORMER WERE TREATED WITH XYPEX CONCENTRATE.

* SAFETY RESERVOIR HAJEK, IZOLACE No: 12544CZE487

	HAJEK
	CZECH REPUBLIC
Owner	CEPRO A.S. STOCK 236
Contractor	EKOEZOP SERVIS S.R.O. OSTRAVA
Applicator	EKOEZOP SERVIS S.R.O. OSTRAVA
Proj. Type	RESERVOIRS
	CHEMICAL & CHLORIDE PROTECTION
Total	520 SQ METRES
Completed	Sept. 1998
Comments	THIS SUBSTANTIALLY DAMAGED RESERVOIR WAS WATERPROOFED AGAINST LEAKAGE OF OIL PRODUCTS.

* CEMENT GROUT SLUDGE TANK

No: 12578CZE464

	ICE, BRNO-SLAME
	CZECH REPUBLIC
Owner	CVM A.S. ZAVOD MALOMERICE
Contractor	FIRESTA - FISER REKONSTR., STAVBY A.S.
Applicator	FIRESTA - FISER REKONSTR., STAVBY A.S.
Proj. Type	RESERVOIRS
Total	500 SQ METRES
Completed	April 1997
Comments	THE TANK WAS REPAIRED AND TREATED WITH XYPEX CONCENTRATE AND MODIFIED.

* UNDERGROUND WATER RESERVOIR

No: 12571CZE437

	LOMNICE NAD LUZNICI
	CZECH REPUBLIC
Owner	VODOVODY A KANALIZACE A.S. - PROV. J. HRADEC
Contractor	STAVCENT A.S. J.H. - PROV. TREBON
Applicator	ING. IVAN CICHA, Q-STAV
Proj. Type	RESERVOIRS
Total	164 SQ METRES
Completed	Dec. 1996
Comments	ORIGINAL ASPHALT INSULATING STRIPS WERE REPLACED BY A ONE-LAYER COAT OF XYPEX IN THE INNER CHAMBERS OF THE RESERVOIR. XYPEX CONCENTRATE WAS ALSO APPLIED TO THE GATEHOUSE. SEVERAL LEAKS WERE TREATED WITH A COMBINATION OF XYPEX CONCENTRATE AND PATCH 'N PLUG.

* HOSPITAL FOR THE DISABLED

No: 12564CZE486

	MACKOV, PISEK
	CZECH REPUBLIC
Owner	USTAV SOCIALNI PECE, CEKANICE
Designer	SUMAVAPLAN, S.R.O.
Contractor	JIHOSPOL A.S.
Applicator	JIHOSPOL A.S.
Proj. Type	RESERVOIRS
	FOUNDATION WALLS & FLOORS
Total	1,000 SQ METRES
Completed	Dec. 1998
Comments	XYPEX CONCENTRATE AND MODIFIED WAS USED AS A SUBSTITUTE FOR MEMBRANE INSULATION BELOW AND ABOVE GRADE. XYPEX WAS ALSO APPLIED TO RESERVOIRS CONTAINING MANURE AND DUNG WATER FOR COMPOST, ON CONNECTING CANAL PASSAGES, ELEVATOR SHAFTS AND WATER PLANTS.

* WATER RESERVOIR

No: 09810CZE261

	MIKULOVICE
	CZECH REPUBLIC
Applicator	ABV SPOL S.R.O.
Proj. Type	RESERVOIRS
Total	1,500 SQ METRES
Completed	02/01/95
Comments	COMPLETE RENOVATION OF RESERVOIR BY USE OF CONCENTRATE AND MODIFIED TO PREVENT LEAKAGE. PILLARS WERE ALSO TREATED.

* RESERVOIR, ML. BOLESLAV

No: 12572CZE400

	MLADA BOLESLAV
	CZECH REPUBLIC
Owner	ALLIBERT BOHEMIA
Contractor	RAIN, S.R.O.
Applicator	TOMAS PECKA - BET - IZOL
Proj. Type	RESERVOIRS
Total	317 SQ METRES
Completed	Sept. 1996
Comments	DURING THE CONSTRUCTION OF THE RESERVOIR, CONSTRUCTION JOINTS, FLOORS AND WALLS WERE TREATED WITH XYPEX CONCENTRATE. CRACKS WERE SEALED WITH XYPEX PATCH 'N PLUG.

* INSULATION OF ABUTMENTS

No: 12575CZE469

	MOST
	CZECH REPUBLIC
Applicator	NEKAP S.R.O.
Proj. Type	RESERVOIRS
Total	240 KGS
Completed	March 1998
Comments	PIT ABUTMENTS WERE TREATED WITH XYPEX MODIFIED TO PREVENT WATER SEEPAGE.

* SAFETY TANK-IZOLACE

No: 12545CZE490

	OSTRAVA, NOVA HUT
	CZECH REPUBLIC
Owner	NOVA HUT, A.S.
Contractor	EKOEZOP SERVIS S.R.O. OSTRAVA
Applicator	EKOEZOP SERVIS S.R.O. OSTRAVA
Proj. Type	RESERVOIRS
	CHEMICAL & CHLORIDE PROTECTION
Total	272 SQ METRES
Completed	Oct. 1998
Comments	THE RETAINING TANK WAS REPAIRED AND TREATED WITH XYPEX TO PREVENT OIL AND GROUNDWATER LEAKAGE.

* THE MUNICIPAL HOUSE

No: 10413CZE314

	PRAGUE
	CZECH REPUBLIC
Contractor	METROSTAV A.S. DIVISION 6
Applicator	ABV S.R.O.
Proj. Type	RESERVOIRS
Total	720 SQ METRES
Completed	Feb. 1996
Comments	THE MUNICIPAL HOUSE (BUILT 1905-1911) IS ONE OF PRAGUE'S MOST VALUABLE CULTURAL AND ARCHITECTURAL TREASURES. DURING ITS TOTAL RECONSTRUCTION XYPEX PRODUCTS WERE USED TO ENSURE THE WATERPROOFING QUALITIES OF THE RESERVOIRS AND UTILITY TUNNELS UNDER THE BUILDINGS.

* UNDERPASS OF RAILWAY BRIDGE

No: 12547CZE212

	PREROV
	CZECH REPUBLIC
Owner	SUS PREROV
Designer	UNIGEO, A.S. OSTRAVA, DIVIZE SANEKO
Contractor	UNIGEO, A.S. OSTRAVA, DIVIZE SANEKO
Applicator	UNIGEO, A.S. OSTRAVA-HRABOVA
Proj. Type	BRIDGE STRUCTURES
	RESERVOIRS
Total	400 SQ METRES
Completed	Oct. 1997
Comments	THE CONCRETE TANK ON THE UNDERPASS OF THE RAILWAY BRIDGE WAS TREATED WITH A COATING OF XYPEX.

* RESERVORIO BELLA VISTA

No: 08122

	GUAYAQUIL
	ECUADOR
Owner	EMPRESA PROVINCIAL DE AGUA POTABLE DE GUYAQUIL
Contractor	DRAGADOS Y CONSTRUCCIONES, S.A.
Applicator	ADITEC CIA LTDA.
Proj. Type	RESERVOIRS
Total	60,000 SQ FT
Completed	05/01/1993
Comments	THIS WATER RESERVOIR IS ONE OF SEVERAL IN THE MASTER PLAN FOR POTABLE WATER FOR THE CITY OF GUAYAQUIL. WATER SEEPAGE WAS STOPPED WITH XYPEX PRODUCTS WHICH WERE USED TO REPAIR DEFECTIVE CONCRETE AND TO COAT THE WALLS AND FLOOR OF THE RESERVOIR.

* COMMERCIAL BANK OF ETHIOPIA

No: 12519

	BAHR DAR
	ETHIOPIA
Proj. Type	RESERVOIRS
	ROOF DECKS
Total	2,441 SQ METRES
Comments	XYPEX CONCENTRATE/MODIFIED WAS APPLIED AS SLURRY COATING TO WATERPROOF ROOF SLABS, BALCONIES, UNDER-GROUND CONCRETE WATER RESERVOIR AND PUMP HOUSE. CRACK REPAIRS WERE CARRIED OUT USING XYPEX PATCH N PLUG.

* ATOCHEM SODIUM CHLORATE TANK

No: 09360

	ISERE
	FRANCE
Proj. Type	CHEMICAL & CHLORIDE PROTECTION
	RESERVOIRS
Completed	1983
Comments	TANK DETERIORATED DUE TO AGGRESSIVE CHEMICAL ACTION. XYPEX USED TO ELIMINATE LEAKAGE AND PROTECT CONCRETE STRUCTURE FROM FURTHER DAMAGE. INSIDE OF TANK SANDBLASTED; JOINTS AND CRACKS CHIPPED OPEN. TANK FILLED OVER MONTH WITH CLEAN WATER TO ELIMINATE CHEMICALS. JOINTS/DEFECTS REPAIRED AND 2-COATS OF CON. APPLIED TO INSIDE AND OUTSIDE OF TANK.

* STORM DRAIN (AUTOROUTE A43) No: 09959

LYON
FRANCE
Owner DIRECTION DEPARTMENTALE DE L'EQUIPEMENT
Applicator ENT. BLONDET MARIUS (VILLEURBANNE)
Proj. Type RESERVOIRS
Completed 1990
Comments XYPEX CONCENTRATE WAS APPLIED TO WATERPROOF A 900
SQ.METER STORM OVERFLOW DRAIN TANK.

* CITY OF CAMAS WATER RESERVOIR No: 01953

CAMAS
FRANCE
Proj. Type RESERVOIRS

* EPINAZ (VOSGES) No: 02429

EPINAL
FRANCE
Contractor THANET
Proj. Type RESERVOIRS
Comments REPAIRS TO MAJOR INFLUX OF WATER STORAGE TANK PRIOR TO
THE ACCEPTANCE AND PUTTING INTO SERVICE OF SAME.

* WATER STORAGE TANK No: 02432

GAILLON
FRANCE
Contractor THANET
Proj. Type CHEMICAL & CHLORIDE PROTECTION
RESERVOIRS
Comments LINING OF THE WALLS AND APRON ON LOWER RIGHT SIDE IN A
CYANIDE STORAGE TANK 100 M FROM THE SEINE RIVER.

* WATER STORAGE TANK No: 02433

RIANS
FRANCE
Contractor ENTERPRISE CHIOCCHIA
Proj. Type RESERVOIRS
Total 2,000 SQ METRES
Comments COMPLETE LINING OF DRINKING WATER STORAGE TANK

* WINE STORAGE TANK

No: 02412

	VILLARS S/VAR
	FRANCE
Contractor	ETS NICOLAS
Proj. Type	CHEMICAL & CHLORIDE PROTECTION RESERVOIRS
Comments	TREATMENT OF UNDERPINNING AND OF SURFACES IN WINE STORAGE TANKS.

* ERDINGTON WATER RESERVOIR

No: 09354

	BIRMINGHAM, ENGLAND
	UNITED KINGDOM
Owner	SEVERN TRENT WATER AUTHORITY
Contractor	STONBURY LIMITED
Applicator	STONBURY LIMITED
Proj. Type	RESERVOIRS
Completed	1987
Comments	A TOTAL OF 580 COLUMNS WERE TREATED WITH CONCENTRATE AND MODIFIED AT THIS 60-YEAR OLD POTABLE WATER RESERVOIR. EACH COLUMN HAS A SURFACE AREA OF 12 SQ.M.

* SOLIHULL HOSPITAL

No: 09966

	SOLIHULL, ENGLAND
	UNITED KINGDOM
Owner	WEST MIDLANDS HEALTH AUTHORITY
Applicator	TRUMPER BROTHERS LIMITED
Proj. Type	RESERVOIRS
Total	400 SQ METRES
Completed	SEPT. 1992
Comments	THE WALLS AND SUPPORT COLUMNS OF THE BELOW-GROUND POTABLE WATER TANKS (APPROX. DIMENSIONS 10 M X 10 M X 2 M) WERE SUCCESSFULLY TREATED BY XYPEX TO STOP LEAKING AND PROTECT AGAINST SOFT WATER DEGRADING THE CONCRETE SURFACES.

* WATER RESUPPLY TANKS - REHABILITATION

No: 08476

	GHANA
Owner	FEDERAL GOVERNMENT OF GHANA
Designer	WARDROP ENGINEERING CONSULTANTS
Proj. Type	RESERVOIRS
Total	29,400 SQ FT
Completed	1994
Comments	WATER STORAGE TANKS CONSTRUCTED DURING THE 1960'S WERE REPAIRED USING CIDA FUNDS.

* RIGHT TIME BUILDING No: 01926

Applicator HONG KONG
Proj. Type SEALAND WPG. ENGINEERS
Comments RESERVOIRS
ROOF TOP FIRE WATER TANKS.

* WATER RESERVOIR No: 01931

Applicator HONG KONG
Proj. Type SEALAND WATERPROOFING
Comments RESERVOIRS
UNDERGROUND WATER STORAGE TANK - RENEWAL OF
CONSTRUCTION JOINT.

* OFFICE BUILDING BASEMENT RESERVOIR No: 02264

Designer HONG KONG
Applicator CAVENDISH PROPERTY DEVELOPMENT LTD.
Proj. Type SEALAND W/P ENGINEERS CO
Comments RESERVOIRS
TANKING FOR BASEMENT

* KAI TAK AIRPORT CARGO COMPLEX No: 01928

Owner KOWLOON
Applicator HONG KONG
Proj. Type HONG KONG GOVERNMENT
SEALAND WPG ENGINEERS
Comments RESERVOIRS
Total 100 LBS
Completed 1980
XYPEX APPLIED TO WATER TANK AND CRACKS AREA.

* FIRE WATER TANK No: 01213

Contractor KOWLOON
Applicator HONG KONG
Proj. Type RIGHT TIME CONST CO
SEALAND WPG ENG CO LTD
Comments RESERVOIRS
MISCELLANEOUS PROJECTS
Total 100 LBS
Completed 1982
XYPEX APPLIED TO FIRE WATER TANK.

* CAR RACK TRACK No: 11146HUN102

	BUDAPEST
	HUNGARY
Owner	HUNGARORING RT. (JSC)
Contractor	PULZUS KFT.
Applicator	CHEM-BETON KFT.
Proj. Type	RESERVOIRS
Total	187 SQ METRES
Completed	April 1998
Comments	THIS NEWLY CONSTRUCTED REINFORCED CONCRETE WATER TANK WAS WATERPROOFED BY APPLICATION OF XYPEX CONCENTRATE.

* GLOBUS CANNING FACTORY No: 11147HUN103

	BUDAPEST
	HUNGARY
Owner	GLOBUS KONZERGIAR RT (JSC. CANNING FACTORY GLOBUS)
Contractor	VERTI-BAU KFT.,
Applicator	CHEM-BETON KFT.
Proj. Type	RESERVOIRS
Total	125 SQ METRES
Completed	July 1998
Comments	APPLICATION OF XYPEX CONCENTRATE WAS USED TO WATERPROOF THIS NEWLY BUILT WATER RESERVOIR TO INCREASE THE STORAGE CAPACITY.

* RESERVOIR FOR STORAGE OF CHEMICALS No: 11148HUN104

	KAPOSVR
	HUNGARY
Owner	DELVIEP KFT.
Applicator	CHEM-BETON KFT.
Proj. Type	CHEMICAL & CHLORIDE PROTECTION
	RESERVOIRS
Total	125 SQ METRES
Completed	Sept. 1997
Comments	DAMAGED CONCRETE SURFACE OF TWO CONCRETE STORAGE PITS FOR CHEMICALS WAS REMOVED AND REPAIRED. XYPEX PATCH 'N PLUG AND TWO COAT APPLICAITON OF XYPEX CONCENTRATE WAS USED IN THE REPAIR PROCESS.

* WATER TANK No: 11150HUN106

	SATA BORSOD DIST.
	HUNGARY
Owner	BORSODI KOZMU RT. (COMMUNAL WORK JSC. MISKOLC)
Applicator	BORSODI KOZ, MUEPITO KFT.(COMMUNAL BLDG. CO. LTD
Proj. Type	RESERVOIRS
Total	156 SQ METRES
Completed	Aug. 1998
Comments	NEW CONSTRUCTION - TWO COAT APPLICATION WAS USED TO WATERPROOF AND PROTECT THIS WATER TANK FOR POTABLE WATER.

* REFINING PLANT No: 12266HUN107

	SZASZHALOMBATTA
	HUNGARY
Owner	MOL RT
Contractor	VIZEP RT.
Applicator	VIZEP RT.
Proj. Type	RESERVOIRS
Total	156 SQ METRES
Completed	12/09/99
Comments	THE XYPEX SYSTEM WAS USED TO WATERPROOF THIS CONCRETE STORAGE TANK FROM THE POSITIVE (WATER) SIDE.

* FIRE-WATER TANK No: 12274HUN115

	SZE'KESFEHE'RVA'R
	HUNGARY
Owner	KOZEP-DUNANTULI VIZUGYI IGAZGATOSAG
Applicator	BETONKORR 95' KFT.
Proj. Type	RESERVOIRS
Total	380 SQ METRES
Completed	04/10/2000
Comments	THE XYPEX SYSTEM WAS USED TO WATERPROOF A CONCRETE TANK.

* PT. GRACE SPECIALTY CHEMICAL No: 09116

	CIKARANG
	INDONESIA
Owner	PT. GRACE SPECIALTY CHEMICAL
Designer	PT. BIG ENGINEERING
Contractor	PT. BULIAN HOMES CONTRACTORS
Applicator	ABC BUILDING PRODUCTS
Proj. Type	RESERVOIRS
Total	148 SQ. MTR.
Completed	12/18/93

* BANK OF INDONESIA (CENTRAL BANK) TOWER No: 10240

	JAKARTA
	INDONESIA
Contractor	WIJAYA KARYA
Proj. Type	RESERVOIRS
Comments	XYPEX WAS USED TO WATERPROOF THE TOILET AREAS

* MAMPANG PARK OFFICE No: 09115

	JAKARTA
	INDONESIA
Designer	PT. CALIFA PRATAMA
Contractor	PT. P.P. TAISEI INDONESIA CONSTRUCTION
Applicator	ABC BUILDING PRODUCTS
Proj. Type	RESERVOIRS
	VAULTS & ELEVATOR PITS
Total	294 SQ.M.
Completed	05/07/90

* BANK INDONESIA A & B BLDG, GEDUNG No: 09110

	JAKARTA PUSAT
	INDONESIA
Owner	BANK OF INDONESIA
Designer	PT. ARKONIN/PT. LIMA EF
Contractor	PT. WIJAYA KARYA
Applicator	ABC BUILDING PRODUCTS
Proj. Type	RESERVOIRS
Total	2,530 SQ. MTR.
Completed	06/01/95

* PASAR MINGGU APARTMENT No: 09109

	JAKARTA SELATAN
	INDONESIA
Owner	PT. DONGBANG DEVELOPMENT
Designer	PT. DONGBANG DEVELOPMENT
Contractor	PT. PUTRA DUTA ANGGADA
Applicator	ABC BUILDING PRODUCTS
Proj. Type	RESERVOIRS
	HOUSE BASEMENTS
Total	2,892 SQ. MTR.
Completed	12/14/94

* ASCOT CENTER BUILDING

No: 09107

	JAKARTA SELATAN
	INDONESIA
Owner	PT. MITRA BANGUN GRIYA
Designer	PT. AIRMAS ASRI
Contractor	PT. TATAMULIA NUSANTARA INDAH
Applicator	ABC BUILDING PRODUCTS
Proj. Type	RESERVOIRS
Total	1,160 SQ. M.
Completed	10/15/92

* AMPERA TOWN HOUSES

No: 09405

	KEMANG, JAKARTA
	INDONESIA
Owner	PT RIMBA GUNA NUSANTARA
Applicator	ABC BUILDING PRODUCTS
Proj. Type	ROOF DECKS
	RESERVOIRS
Comments	ONE COAT OF CONCENTRATE WAS USED TO WATERPROOF ALL BATHROOMS. A TWO-COAT APPLICATION OF XYPEX WAS APPLIED TO THE ROOF DECK AND GROUND WATER RESERVOIR, AND DRY PAC WAS APPLIED TO THE CONSTRUCTION JOINTS.

* BARITO PACIFIC BUILDINGS - TANKS, RESERVOIRS

No: 09408

	SLIPI, JAKARTA
	INDONESIA
Owner	PT PEMBANGUNAN PERUMAHAN
Applicator	ABC BUILDING PRODUCTS
Proj. Type	SEWAGE & WASTEWATER TREATMENT PLANTS
	RESERVOIRS
Comments	A DRY PAC PLUS TWO COATS OF XYPEX CONCENTRATE AND MODIFIED WERE USED TO WATERPROOF THE SEPTIC TANKS AND GROUND WATER RESERVOIR.

* INDAREF RAW MATERIAL LOADING BAY & RESERVOIR

No: 02908

	CILEGON
	INDONESIA
Owner	INDAREF
Designer	TRI PRANATO SRI KONSULTAN
Contractor	WIJAYA KUSUMA CONTRTRACTOR
Applicator	ABC BUILDING PRODUCTS
Proj. Type	RESERVOIRS
Total	202 SQ METRES
Completed	1989

* PLN BUILDING UNDERGROUND RESERVOIR

No: 02907

	JAKARTA
	INDONESIA
Owner	PLN
Designer	PT MULTI PROS
Contractor	PT WIJAYA KARYA
Applicator	ABC BUILDING PRODUCTS
Proj. Type	RESERVOIRS
Total	142 SQ METRES
Completed	1989

* FRENCH BAKERY BUILDING UNDERGROUND RESERVOIR

No: 02904

	JAKARTA
	INDONESIA
Owner	FRENCH BAKERY
Designer	PT HAN AWAL & PARTNERS
Contractor	PT DAYA CIPTA ABADI
Applicator	ABC BUILDING PRODUCTS
Proj. Type	RESERVOIRS
Total	125 SQ METRES
Completed	1989

* YASUNLITEX WASTE WATER RESERVOIR

No: 02911

	JAKARTA
	INDONESIA
Owner	YASUNLITEX
Applicator	ABC BUILDING PRODUCTS
Proj. Type	SEWAGE & WASTEWATER TREATMENT PLANTS RESERVOIRS
Total	163 SQ METRES
Completed	1989

* 'SHAHU SMARAK' CHHATRAPATI SHIVAJI MEMORIAL

No: 10774

	KOLHAPUR CITY
	INDIA
Owner	GOVERNMENT OF INDIA
Applicator	MULTITECH ENTERPRISES
Proj. Type	RESERVOIRS
	ROOF DECKS
Total	5,000 SQ FT
Completed	Dec. 1997
Comments	XYPEX CONCENTRATE WAS CHOSEN TO REHABILITATE AND WATERPROOF THE TERRACE SLAB AND TOILETS OF THE MEMORIAL BUILDING WHICH HAD EXHIBITED HEAVY SEEPAGE OF WATER.

* OVERHEAD R.C.C. WATER TANK

No: 11880

	KOLHAPUR/MAHARASHTRA
	INDIA
Owner	RADHANAGARI TALUKA STARCH KARKHANA LTD.
Designer	M/S SURAT JADHAV
Applicator	M/S RATNA ENGINEERS
Proj. Type	RESERVOIRS
Comments	HEAVY LEAKING WAS OBSERVED IN THIS 55' X 55' X 10' WATER TANK RESULTING IN WATER BEING RETAINED TO NO MORE THAN THE 2 FT LEVEL . GROUTING WAS INJECTED TO FILL UP ALL HONEYCOMBING THEN A COAT OF XYPEX CONCENTRATE WAS APPLIED TO THE TANK FROM THE INSIDE. ALL CONSTRUCTION JOINTS WERE FILLED WITH XYPEX DRY-PAC.

* SHATARAJ BUILDING QUARTERS

No: 11879

	MUMBAI
	INDIA
Contractor	M/S SATISH DHUPELIA
Applicator	M/S PIONEER CONSTRUCTION
Proj. Type	FOUNDATION WALLS & FLOORS
	RESERVOIRS
Total	1,500 KGS
Comments	XYPEX PRODUCTS WERE USED TO WATERPROOF TERRACE, TOILETS, GARDEN PLANTERS AND UNDERGROUND WATER TANK OF THIS EXISTING BUILDING. TWO COATS OF CONCENTRATE WAS APPLIED TO ALL EXISTING COLUMNS AND BEAMS, DUE TO ITS ABILITY TO INCREASE THE COMPRESSIVE STRENGTH OF OLD CONCRETE AS TWO EXTRA STOREYS WILL BE ADDED TO THE STRUCTURE.

* BHARAT DIAMOND BOURSE

No: 10320

	MUMBAI
	INDIA
Owner	BHARAT DIAMOND BOURSE
Contractor	SHAPOORJI & PALLONJI/BILLIMORIA & TIRATHRAM AHUJA
Applicator	IPWT
Proj. Type	RESERVOIRS
Total	350,000 SQ FT
Completed	ongoing
Comments	THIS IS THE LARGEST DIAMOND TRADING BOURSE IN ASIA. A SINGLE COAT OF XYPEX CONCENTRATE WAS APPLIED OVER THE TOILET SLABS, A.H.U. FLOOR SLABS AND ELECTRICAL / PLUMBING CUT-OUTS. XYPEX MODIFIED WAS APPLIED TO THE SEPARATION JOINTS.

* EKBATAN APARTMENT COMPLEX

No: 02327

	TEHERAN
	IRAN
Proj. Type	RESERVOIRS
Comments	XYPEX WAS USED TO SEAL 48 UNDERGROUND WATER RESERVOIRS FOR THIS MASSIVE HOUSING COMPLEX. TIE HOLES AND PERIMETER FLOOR JOINTS WERE REPAIRED WITH XYPEX PRODUCTS BEFORE LINING THE TANKS WITH A SLURRY APPLICATION.

* KIBUTZ GEVA

No: 02299

	GEVA
	ISRAEL
Proj. Type	RESERVOIRS
	SWIMMING & DECORATIVE POOLS
Comments	XYPEX CONCENTRATE WAS USED TO REPAIR 40 METERS OF CONSTRUCTION JOINT AROUND THE PERIMETER OF A CYLINDRICAL WATER RESERVOIR. CRACK REPAIR WAS ALSO PERFORMED ON THE SWIMMING POOL.

* THE "LOVERS HILL" RESERVOIR

No: 01964

	NES-ZIONA
	ISRAEL
Owner	THE CITY OF NES-ZIONA
Applicator	ITUMEX LTD.
Proj. Type	RESERVOIRS
Total	180 LIN FT
Completed	1982
Comments	IT IS AN OLD STRUCTURE. XYPEX WAS RECOMMENDED BY THE OFFICE OF SYRKIN-BUCHNER CONSULTING ENGINEERS.

* RISHON RESEVOIR

No: 01965

	RISHON LE'ZION
	ISRAEL
Owner	MUNICIPALITY OF RICHON LE'ZION
Applicator	ITUMEX LTD.
Proj. Type	RESERVOIRS
Total	400 LIN FT
Completed	1982
Comments	BOTH VERTICAL AND HORIZONTAL CRACKS AND CONSTRUCTION JOINTS. BOTH ARE OLD STRUCTURES, XYPEX WAS RECOMMENDED BY SYRKIN-BUCHNER CONSULTING ENGINEERS. 13 TIRZA ST., RAMAT-GAN, ISREAL

* WATER STORAGE TANK - NAS SIGONELLA

No: 11111

	SICILY
	ITALY
Proj. Type	RESERVOIRS
Comments	ALL INTERIOR SURFACES AND COLUMNS WERE SLURRY COATED WITH XYPEX CONCENTRATE AND MODIFIED. AREAS WITH HONEYCOMBE JOINTS WERE MADE GOOD WITH APPLICATION OF CONCENTRAE AS DRY-PACK. ROOF INTERIOR WAS SLURRY COATED WITH XYPEX CONCENTRATE.

* VICENZA AIR BASE - POTABLE WATER RESERVOIR No: 11110

	VICENZA
	ITALY
Proj. Type	RESERVOIRS
Total	6,500 SQ METRES
Comments	RESERVOIR IS BUILT PARTLY BELOW GROUND WITH THE ABOVE GROUND STRUCTURE COVERED WITH OVERBURDEN. ALL INTERIOR WALLS, FLOOR AND ROOF, PLUS 16 SUPPORT COLUMNS, WERE XYPEX WATERPROOFED CONCENTRATE AND MODIFIED. DUE TO MAXIMUM HARDNESS OF CONCRETE SURFACE, WATER BLASTING WAS NECESSARY TO PROVIDE AN OPEN CAPILLARY SURFACE PRIOR TO XYPEX APPLICATION.

* MODERN SCHOOL No: 10458

	AMMAN
	JORDAN
Proj. Type	FOUNDATION WALLS & FLOORS
	RESERVOIRS
Total	1,500 SQ METRES
Comments	XYPEX WATERPROOFING WAS USED IN THIS NEW DEVELOPMENT.

* IIDA DAM No: 09304

	KASAMA
	JAPAN
Contractor	TODA GENE CO. LTD.
Proj. Type	RESERVOIRS
Completed	06/01/91
Comments	XYPEX PRODUCTS WERE USED TO STOP WATER SEEPAGE THROUGH CONSTRUCTION JOINS ON THE DOWNSTREAM FACE OF THIS DAM LOCATED IN IBARAKI PREFECTURE.

* AL-ARSHAD NEIGHBOURHOOD PROJECT-WATER RESERVOIR No: 09342

	KUWAIT
Proj. Type	RESERVOIRS
Comments	XYPEX REMEDIAL TREATMENT ON CRACKED CONCRETE.

* FONTVIELLE ZONE (MONACO)

No: 02431

	FONTVIELLE MONACO
Contractor	CITY OF MONACO
Proj. Type	RESERVOIRS
Total	1,300 SQ METRES
Comments	1300 M2 STORAGE TANK TREATED WITH 2 COATS OF XYPEX CONCENTRATE.

* WORLD TRADE CENTER

No: 09390

	MEXICO CITY MEXICO
Contractor	CONSTRUCTORA LOS REMEDIOS
Proj. Type	RESERVOIRS
Comments	XYPEX PRODUCTS WERE USED TO WATERPROOF CONCRETE CELLS LOCATED IN THE BASEMENT AREA OF THE BUILDING. THESE CELLS WILL BE USED AS WATER STORAGE RESERVOIRS.

* PUBLIC BANK TECHNICAL CENTRE

No: 11482

	BANGI MALAYSIA
Owner	PUBLIC BANK
Designer	GDP SDN BHD
Contractor	SHIMIZU CORPORATION
Proj. Type	FOUNDATION WALLS & FLOORS RESERVOIRS
Total	3,000 SQ METRES
Comments	XYPEX WAS APPLIED TO 3,000 SQ. METERS OF BASEMENT FLOOR AND WALL AND ALSO THE WATERTANK AND R.C. FLAT ROOF.

* PUTRA MOSQUE

No: 11485

	PUTRAJAYA MALAYSIA
Owner	PUTRAJAYA HOLDINGS SDN BHD
Designer	KUMPULAN SENIREKA
Contractor	PUTARAN MUTIARA SDN. BHD.
Proj. Type	RESERVOIRS
Comments	THE WATER TANK WAS WATERPROOFED WITH AN APPLICATION OF XYPEX ADMIX C-2000.

* NEPAL SHARE MARKETS COMPANY - BASEMENT

No: 11884

	KATHMANDU
	NEPAL
Designer	SUNITA SHRESTHA & COMPANY
Contractor	SHARMA & COMPANY
Proj. Type	FOUNDATION WALLS & FLOORS RESERVOIRS
Total	1,400 SQ METRES
Comments	EXCESSIVE LEAKING IN THE BASEMENT WAS STOPPED WITH AN APPLICATION OF DRY-PAC AND PATCH 'N PLUG. SCAFFOLDING PIPES WERE CUT TO FLOOR LEVEL AND HOLLOW CORE OF THE PIPES WERE FILLED WITH GROUT MIX OF CEMENT-SAND AGGREGATES, XYPEX DRY PAC MIX AND PATCH N PLUG. TWO WATER STORAGE TANKS WERE ALSO TEATED SUCCESSFULLY FROM NEGATIVE PRESSURE SIDE.

* SARANGKOT DUM-DAME DRINKING WATER PROJECT

No: 08238

	POKHARA, KASKI DIST.
	NEPAL
Owner	DEPARTMENT OF DRINKING WATER & SEWERAGE
Designer	DEPARTMENT OF DRINKING WATER AND SEWERAGE
Applicator	ISHWORI TRADE INTERNATIONAL
Proj. Type	RESERVOIRS
Total	300 SQ METRES
Completed	07/31/93
Comments	ONE COAT OF XYPEX CONCENTRATE AND ONE COAT XYPEX MEGAMIX WERE APPLIED ON A 300 M2 SURFACE AREA COMPRISING INSIDE WALLS, PARTITION AND FLOOR OF THIS 15 YEAR OLD DRINKING WATER RESERVOIR. THE STRUCTURE USED TO BE FREQUENTLY REPAIRED DUE TO THE "EATING AWAY" OF THE CONCRETE BY THE ACIDIC NATURE OF THE WATER FROM THE SOURCE.

* RESIDENCE UNDERGROUND RESERVOIR

No: 02786

	KARACHI
	PAKISTAN
Applicator	FREYSSINET PAKISTAN
Proj. Type	RESERVOIRS HOUSE BASEMENTS
Total	1,200 SQ FT
Completed	1986

* BELA CHEMICAL FACTORY WATER RESERVOIR No: 02790

KARACHI
PAKISTAN
Applicator FREYSSINET PAKISTAN
Proj. Type RESERVOIRS
Total 7,000 SQ FT
Completed 1986

* RESIDENCE UNDERGROUND RESERVOIR No: 02789

KARACHI
PAKISTAN
Applicator FREYSSINET PAKISTAN
Proj. Type RESERVOIRS
HOUSE BASEMENTS
Total 1,600 SQ FT
Completed 1986

* CAVITE EXPORT PROCESSING ZONE No: 10197

EPSA ROSARIO, CAVITE
PHILIPPINES
Proj. Type RESERVOIRS
Comments FIVE UNITS OF THE CEPZA WATER RESERVOIR WERE TREATED
WITH A TWO-COAT APPLICATION OF XYPEX.

* CHANDLER PHILS (C.J. AUTOMOTIVE PARTS & SERVICE) No: 10299

MAKATI CITY
PHILIPPINES
Proj. Type ROOF DECKS
RESERVOIRS
Total 1,508 SQ METRES
Comments XYPEX WAS APPLIED TO THE CISTERN TANK, TANK AND ROOF
DECK, BALCONY, DRIVEWAY.

- =====
- * CITIBANK TOWER No: 10302
-
- MAKATI CITY
 PHILIPPINES
Designer PIMENTEL-RODRIGUEZ-SIMBULAN & PARTNERS
Contractor D.M. CONSUNJI, INC.
Applicator SPEC SERV
Proj. Type FOUNDATION WALLS & FLOORS
 RESERVOIRS
Total 6,500 SQ METRES
Comments XYPEX WAS APPLIED TO THE BASEMENT WALLS, OVERHEAD WATER
 TANK, AND THE CANOPY AND UNDERGROUND WATER TANK.
- * AYALA TECHNOPARK No: 09279
-
- MANILA
 PHILIPPINES
Proj. Type RESERVOIRS
- * ASIAN DEVELOPMENT BANK HEADQUARTERS No: 09276
-
- MANILA
 PHILIPPINES
Owner ASIAN DEVELOPMENT BANK
Contractor HYUNDAI ENGINEERING & CONSTRUCTION CO. LTD.
Proj. Type RESERVOIRS
 ROOF DECKS
Total 9,300 SQ METRES
Comments XYPEX CRYSTALLINE SYSTEM WAS USED TO WATERPROOF
 BASEMENT AREAS, A LARGE POTABLE WATER TANK AND A ROOF
 DECK.
- * EDSA SHANGRI-LA HOTEL No: 09277
-
- MANILA
 PHILIPPINES
Proj. Type RESERVOIRS
- * G.S.I.S. NEW HEADQUARTERS BUILDING No: 10192
-
- PASAY CITY
 PHILIPPINES
Owner G.S.I.S. HEADQUARTERS
Proj. Type RESERVOIRS
Comments A COAT OF XYPEX WHITE WAS USED TO COVER THE CISTERN
 TANK FLOOR.

* SOLMAC MARKETING, INC.

No: 10298

Proj. Type	QUEZON CITY PHILIPPINES RESERVOIRS ROOF DECKS
Total	1,185 SQ METRES
Comments	XYPEX WAS APPLIED TO THE TANK DECK, CISTERN TANK, PATIO, LAUNDRY AREA, PLANT BOX, AND GUTTERS.

* INSTITUTE OF FESTO

No: 10665POL119

Owner	JANKI K/WARSAW POLAND
Designer	FESTO
Contractor	PROCOWNIA ARCHITEKTONICZNA KAPELA
Applicator	BUDOKOS S.A.
Proj. Type	ABH NOMOS LTD.
Total	RESERVOIRS
Completed	180 SQ METRES
Comments	Feb. 1996 XYPEX CONCENTRATE AND MODIFIED WAS APPLIED TO THE WALLS AND FLOORS OF THIS FIRE-CONTROL RESERVOIR.

* INSTITUTE OF WIGLAV

No: 10663POL117

Owner	WARSAW POLAND
Designer	WIGLAV SP. Z O.O.
Contractor	ABH NOMOS LTD.
Applicator	ABH NOMOS LTD.
Proj. Type	ABH NOMOS LTD.
Total	RESERVOIRS
Completed	220 SQ METRES
Comments	April 1996 THE WALLS AND CEILING OF THIS NEWLY BUILT FIRE CONTROL RESERVOIR WERE TREATED WITH XYPEX CONCENTRATE.

* INSTITUTE OF POLLENA - WATER RESERVOIR

No: 10662POL116

	WARSAW
	POLAND
Owner	ZAKLADY POLLENA
Designer	ABH NOMOS LTD.
Contractor	ZAKLAD REMONTOWO-BUDOWLANY
Applicator	ZAKLAD REMONTOWO-BUDOWLANY
Proj. Type	RESERVOIRS
Total	500 SQ METRES
Completed	July 1996
Comments	ONE COAT OF XYPEX CONCENTRATE WAS APPLIED TO THE INTERIOR OF THIS RESERVOIR AFTER THE FAILURE OF THE ORIGINAL EPOXY COATING. AFTER REPAIRING AND SEALING THE INTERIOR SURFACE SHOTCRETE WAS APPLIED TO THE EXTERIOR TO COMPLETE THE RENOVATION.

* PROCTOR & GAMBLE INSTITUTE - RESERVOIR

No: 10669POL123

	WARSAW
	POLAND
Owner	PROCTOR & GAMBLE
Designer	MGS INZ. JANUSZ KARWACKI
Contractor	MOSTOSTAL STALOWA WOLA
Applicator	ABH NOMOS LTD.
Proj. Type	RESERVOIRS
Total	50 SQ METRES
Completed	07/15/95
Comments	REPAIR OF WALL/SLAB CONSTRUCTION JOINT AND OTHER CRACKS IN THE CONCRETE.

* LIVING QUARTERS - NALEWKI STREET

No: 11629POL132

	WARSAW
	POLAND
Designer	BIURO PROJEKTOWE KAPELA & PACHOWSKI
Contractor	MITEX S.A.
Applicator	ABH NOMOS
Proj. Type	RESERVOIRS
Total	366 SQ METRES
Completed	11/30/98
Comments	XYPEX CONCENTRATE AND MODIFIED WAS APPLIED TO THE FIRE-CONTROL RESERVOIR.

* "ZIELNA POINT" OFFICE BUILDING

No: 11632POL135

	WARSAW
	POLAND
Designer	APA KURYLOWICZ & ASSOCIATES, LTD.
Contractor	POR - BUD LTD.
Applicator	ABH NOMOS
Proj. Type	RESERVOIRS
Total	250 SQ METRES
Completed	08/31/97
Comments	XYPEX CONCENTRATE AND PATCH 'N PLUG WAS APPLIED TO THE FIRE CONTROL RESERVOIR.

* REPAIR OF AQUEDUCT

No: 10550ROM106

	ROMANIA
Proj. Type	RESERVOIRS
Completed	April 1994
Comments	A CAST IN SITU. 1.6 M. DIA. 30 YEARS OLD CONCRETE AQUEDUCT LOST WATER THROUGH A TRANSVERSAL CRACK, JEOPARDISING NEARBY EXCAVATION FOR A NEW PIPE. WHILE STRUCTURE IN OPERATION XYPEX ULTRA PLUG/QUICKSET WAS USED TO DRAIN PLASTIC PIPES & RELIEF PRESSURE PRIOR TO TREATING CRACK WITH PATCH 'N PLUG. THE ENTIRE AREA THEN TREATED WITH ONE COAT OF CONCENTRATE.

* SINMARTIN WATER SUPPLY SYSTEM

No: 11113ROM112

	AMPLASARE, HARGHITA
	ROMANIA
Owner	COMMUNE OF SINMARTIN
Designer	FICHTNER CONSULTING ENGINEER-CH (SWISS)
Contractor	TECTUM CONSTRUCTION
Applicator	S.C. REXIMACO, S.R.L.
Proj. Type	RESERVOIRS
	CHEMICAL & CHLORIDE PROTECTION
Total	300 SQ METRES
Completed	1997
Comments	DEFECTIVE CONCRETE HAD TO BE REMOVED PRIOR TO XYPEX APPLICATION. ALL CRACKS AND JOINTS WERE TREATED WITH A DRY-PACK APPLICATION OF CONCENTRATE AND PLUGGED WITH PATCH 'N PLUG. THE SURFACE WAS THEN TREATED WITH A TWO- COAT APPLICATION OF XYPEX.

* POTABLE WATER RESERVOIR No: 11119ROM118

PLOIESTI
ROMANIA
Owner S.C. CIPROM S.A.
Applicator S.C. REXIMACO S.R.L.
Proj. Type RESERVOIRS
Comments XYPEX PRODUCTS WERE APPLIED TO FOUR SEPARATE RESERVOIRS
- 300 CM EACH.

* MARA HOTEL - POTABLE WATER RESERVOIR No: 11120ROM119

SINAIA
ROMANIA
Owner MARA INVEST
Applicator S.C. REXIMACO S.R.L.
Proj. Type RESERVOIRS
Completed 1995
Comments THE BASEMENT WALLS WERE TREATED WITH XYPEX TO PREVENT
WATER SEEPAGE.

* AIHAL REINFORCED CONCRETE RESERVOIR No: 11673

AIHAL, YAKUTIA
RUSSIA
Proj. Type RESERVOIRS
Total 3,036 KGS
Comments THIS 1,000 CUBIC METER REINFORCED CONCRETE RESERVOIR
HAD NOT BEEN IN OPERATION DUE TO SUBSTANTIAL LEAKING
THRU COLD JOINTS, CRACKS IN WALLS, AND OBSERVED
FILTRATION THRU THE WALLS. XYPEX PATCH 'N PLUG WAS THEN
APPLIED TO 585 METERS OF JOINTS, AND XYPEX CONCENTRATE
WAS APPLIED TO 2,000 SQ.M. OF WALLS. THE RESERVOIR HAS
BEEN SUCCESSFULLY WATERPROOFED.

* FIRE EXTINGUISHING RESERVOIRS

No: 10767

	MOSCOW
	RUSSIA
Owner	ORGANIZATION LTD.
Designer	SOUZDORNII
Contractor	CENTROTRANSSTROY
Applicator	INTERAQUA
Proj. Type	RESERVOIRS
Total	2,425 KGS
Completed	Oct. 1997
Comments	THE RESERVOIRS ARE MADE OF PRECAST MONOLITHIC ELEMENTS. XYPEX CONCENTRATE WAS USED TO WATERPROOF THE FACTORY SLABS AND MONOLITHIC BOTTOM. THE JOINTS BETWEEN THE PRECAST SLABS WERE SEALED WITH XYPEX PATCH 'N PLUG, FOLLOWED BY AN APPLICATION OF FCM. ON COMPLETION OF WORK THE RESERVOIR WAS SUBJECTED TO HYDRAULIC TESTING WITH SUCCESSFUL RESULTS.

* WATER PURIFYING FACILITIES

No: 09074

	ST. PETERSBURG
	RUSSIA
Owner	NORTH WATER CONDUIT STATION OF ST. PETERSBURG
Applicator	A/O "RASTRO"
Proj. Type	RESERVOIRS
	VAULTS & ELEVATOR PITS
Total	122 SQ. M.
Completed	03/10/95
Comments	THE VAULT AND WALLS OF BASEMENT WERE TREATED WITH XYPEX CONCENTRATE AND PATCH 'N PLUG TO ELIMINATE THE LEAKAGE OF GROUND WATER THROUGH THE REINFORCED CONCRETE STRUCTURE.

* WATER PURIFYING FACILITIES-ST. PETERSBURG

No: 09070

	ST. PETERSBURG
	RUSSIA
Owner	MAIN WATER CONDUIT STATION OF ST. PETERSBURG
Applicator	A/O "RASTRO"
Proj. Type	RESERVOIRS
Total	360 SQ.M.
Completed	01/04/95
Comments	XYPEX WAS USED FOR THE REPAIR OF THE RING CHUTE OF THE PRECIPITATION TANK OF THE POTABLE WATER PURIFICATION SYSTEM. TWO-COAT APPLICATION WAS COMPLETED ON THE INNER SURFACE OF THE REINFORCED CONCRETE STRUCTURE USING XYPEX CONCENTRATE AND MODIFIED.

* HYDROTECHNICAL COMPLEX

No: 10434

	VOLGOGRAD
	RUSSIA
Owner	JOINT VENTURE COMPANY "VODOKANAL"
Designer	VODOKANALPROCKT OF ROSTOV TOWN
Contractor	SOVASATOM LTD.
Applicator	INTERAQUA
Proj. Type	RESERVOIRS
Completed	June 1994
Comments	THE HYDROTECHNICAL COMPLEX CONSISTS OF FOUR BUILDINGS OF REINFORCED CONCRETE, EACH BUILDING CONTAINING FIVE RESERVOIRS 3.8M DEEP. A FURTHER BUILDING CONTAINS A RESERVOIR USED AS STORAGE AND DISPENSER OF PURIFIED WATER. 14 TONS OF XYPEX CONCENTRATE, MODIFIED AND PATCH 'N PLUG WAS APPLIED TO THE SURFACES AND JOINTS TO WATERPROOF THEM.

* DRINKING WATER RESERVOIR

No: 10004

	VOLGOGRAD
	RUSSIA
Proj. Type	RESERVOIRS
Completed	Aug. 1994
Comments	PRESSURE-RELATED LEAKAGE FROM THE DRINKING WATER RESERVOIR WAS SUCCESSFULLY STOPPED BY THE USE OF XYPEX ULTRA PLUG. THIS WAS DONE WITHOUT EMPTYING THE RESERVOIR.

* DRINKING RESERVOIRS

No: 10005

	VOLGOGRAD
	RUSSIA
Designer	VODOKANALPROCKT
Contractor	ADMINISTRATION OF VOLGOGRAD
Applicator	SOVASATOM WITH TECHNICAL ASST. OF INTERAQUA
Proj. Type	RESERVOIRS
Total	10,000 SQ METRES
Completed	Nov. 1994
Comments	THE JOINTS BETWEEN THE CONCRETE BLOCKS OF THE RESERVOIRS WERE RE-OPENED AND TREATED WITH XYPEX CONCENTRATE AND FILLED WITH DRY PACK, TO PREVENT LEAKAGE. 10,000 KG. OF XYPEX MATERIALS WERE USED TO ENSURE THE RESERVOIRS' IMPERMEABILITY TO WATER.

* WATER PURIFYING FACILITIES

No: 09073

	VOLOGDA
	RUSSIA
Owner	MUNICIPAL ESTABLISHMENT "VODOKANAL"
Applicator	BTR, LTD.
Proj. Type	RESERVOIRS
Total	270 SQ.M.
Completed	03/10/95
Comments	A TWO-COAT APPLICATION OF XYPEX CONCENTRATE AND MODIFIED WAS APPLIED TO THE REINFORCED CONCRETE STRUCTURES OF THE WALLS AND FLOOR OF THE RESERVOIR.

* HARAPAN BUILDING

No: 01314

	SINGAPORE
Owner	HARAPAN
Designer	T. Y. LIN CONSULTING ENGINEERS
Contractor	METROBILT-BOUIS CONSTR.
Applicator	SHARIKAT NATIONAL (PTE)
Proj. Type	VAULTS & ELEVATOR PITS RESERVOIRS
Total	1,500 SQ FT
Completed	1979
Comments	INTERNAL SURFACES OF LIFT PIT AND WATER TANK.

* NEE SOON CAMP (MINISTRY OF DEFENSE) WATER TANK

No: 02266

	SINGAPORE
Proj. Type	RESERVOIRS
Comments	XYPEX WAS APPLIED TO THE CONCRETE SLAB AND WALLS OF CONCRETE WATER TANK.

* HIGHWAY D61/D1 RAIN TANKS, SEWAGE COLLECTION SHAFT No: 12697SVR153

	SLOVAK REPUBLIC
Owner	SLOVENSKA SPRAVA CIEST (SLOVAK ROAD MTNCE CORP.)
Applicator	HYDROSAN S.R.O.
Proj. Type	SEWAGE & WASTEWATER TREATMENT PLANTS RESERVOIRS
Completed	1998
Comments	DURING CONSTRUCTION OF HIGHWAY 61/D1, XYPEX PRODUCTS WERE USED FOR THE WATERPROOFING OF THE RAIN TANKS AND SEWAGE SHAFTS. XYPEX CONCENTRATE WAS USED AS THE PRIMARY COAT-ING, FOLLOWED BY A COAT OF XYPEX MODIFIED.

* REPAIR OF COOLING TANK

No: 12685SVR143

Owner	SLOVAK REPUBLIC
Applicator	MATADOR PUCHOV. A.S.
Proj. Type	HYDROSAN
	RESERVOIRS
	COOLING TOWERS
Total	500 SQ METRES
Completed	July 2000
Comments	COOLING TANK UNDER VENTILATOR COOLING TOWERS, 2 X 8,000 SQ M ORIGINALLY COATED WITH EPOXY HAVE WEATHERED AND BECOME NON-FUNCTIONAL AFTER 6 YRS. EXISTING SURFACE FINISH REMOVED AND A COAT OF XYPEX CONCENTRATE WAS APPLIED. DAMAGED AREAS WERE REPAIRED WITH CEMENT DOSED WITH XYPEX ADMIX. SURFACE OF POOL TREATED WITH MODIFIED. CRACKS/JOINTS SEALED WITH DRY-PAC.

* COV BRATISLAVA PETRZALKA

No: 12460SVR115

	BRATISLAVA
Owner	SLOVAK REPUBLIC
Proj. Type	VODARNE A KANALIZACIE, S.P.
	RESERVOIRS
Total	270 SQ METRES
Completed	1999
Comments	XYPEX FCM APPLICATION TO ROOF OF RESERVOIR TO PREVENT GAS LEEKAGE. XYPEX WAS ALSO USED TO REPAIR CRACKS.

* STORAGE RESERVOIR

No: 09275SVR101

	POPRADSKE PLESO
Owner	SLOVAK REPUBLIC
Designer	VYCHODOSLOVENSKE VODARNE A KANALIZACIE
Contractor	HYDROCONSULT BRATISLAVA
Applicator	INZINIERSKE STAVBY KOSICE
Proj. Type	HYDROSTOP
	RESERVOIRS
Total	141 SQ METRES
Completed	10/10/92
Comments	CONSIDERABLE WATER LOSS FROM THE RESERVOIR DUE TO LEAKAGE PROBLEMS WAS CORRECTED BY USE OF XYPEX PATCH 'N PLUG TO REPAIR CRACKS AND JOINTS, AND THEN APPLYING ONE COAT OF CONCENTRATE AND ONE COAT OF MODIFIED OVER ALL INTERIOR SURFACES.

* STORAGE TANK FOR LIME PRODUCTION

No: 12617SVR140

	SASTIN-STRAZE
	SLOVAK REPUBLIC
Owner	HEBEL LSH POROBETON S.R.O.
Applicator	HYDROSAN
Proj. Type	RESERVOIRS
	CHEMICAL & CHLORIDE PROTECTION
Completed	March 1994
Comments	A SEDIMENT OF LIME/SAND LEAKING THROUGH THE CONCRETE WALL AND FLOOR RESULTED IN 3 MM OF HARDENED SEDIMENT ATTACHING TO INNER WALLS AND BOTTOM OF TANK. THIS WAS REMOVED BY HIGH-PRESSURE WATER JET AND SURFACE ETCHING WITH 30% SOLUTION OF HCI. SPALLING REPAIRED WITH PATCH 'N PLUG, THEN ENTIRE INTERNAL SURFACE TREATED WITH CONCENTRATE/MODIFIED.

* SLOVALCO A.S. - WATER TANK

No: 12683SVR141

	ZIAR NAD HRONOM
	SLOVAK REPUBLIC
Owner	SLOVALCO A.S.
Applicator	HYDROSAN
Proj. Type	RESERVOIRS
Completed	Oct. 1995
Comments	XYPEX CONCENTRATE AND MODIFIED WERE APPLIED TO ENSURE INSULATION OF THE CONCRETE CONSTRUCTION OF THE NEW RECIRCULATION STATION.

* SSP TOWER

No: 12716

	BANGKOK
	THAILAND
Designer	DEPICT
Contractor	SIAM SYNTECH CO. LTD.
Proj. Type	RESERVOIRS
Total	1,200 SQ METRES
Comments	XYPEX PRODUCTS WERE USED TO WATERPROOF THE WATER TANKS.

* RICH COURT BUILDING

No: 09399

	BANGKOK
	THAILAND
Owner	THE RUASI COURT CO. LTD.
Designer	PROF. ASAWIN PICHAYAYOTHIN
Contractor	S. INTER AND ASSOCIATES CO. LTD.
Applicator	GOODWIN PRODUCTS LTD.
Proj. Type	FOUNDATION WALLS & FLOORS
RESERVOIRS	
Total	3,000 SQ METRES
Completed	1990
Comments	XYPEX PRODUCTS WERE USED TO WATERPROOF THE BASEMENT AND THE ROOFTOP WATER TANK.

* GOVERNMENT HOUSING BANK BUILDING

No: 08991

	BANGKOK
	THAILAND
Owner	GOVERNMENT HOUSING BANK
Designer	DESIGN 103 LTD
Contractor	RUNG PHA SERM CORPORATION CO. LTD.
Applicator	GOODWIN PRODUCTS LTD
Proj. Type	RESERVOIRS
	FOUNDATION WALLS & FLOORS
Total	6,500 SQ METRES
Completed	1995
Comments	XYPEX CONCENTRATE AND MODIFIED WERE APPLIED TO INTERIOR OF BASEMENT WALLS AND WATER TANKS.

* T.IS BANK HEADQUARTERS COMPLEX & TOWERS

No: 12435

	LEVENT-ISTANBUL
	TURKEY
Owner	T.IS BANK CO.
Contractor	TEPE CONSTRUCTION CO. - TURNER STEINER J.V.
Applicator	TEPE CONSTRUCTION CO.
Proj. Type	FOUNDATION WALLS & FLOORS
	RESERVOIRS
Total	32,000 SQ METRES
Completed	Jan. 2000
Comments	THIS COMPLEX CONSISTS OF THREE TOWERS (ONE WITH 52 LEVELS, AND TWINS TOWERS WITH 36 LEVELS), AN AUDITORIUM, A GALLERY, INDEPENDENT MULTI-STOREY CAR PARKS. XYPEX WAS APPLIED TO CURTAIN WALLS IN BASEMENT FLOORS, RAFT FOUNDATIONS, FIRE AND DRINKING WATER RESERVOIRS.

* MERTER DEPARTMENT BANK BUILDING

No: 02951

	ISTANBUL
	TURKEY
Owner	VAKIFLAR BANK
Designer	CONSTRUCTION DEPARTMENT
Applicator	TOPSIT
Proj. Type	FOUNDATION WALLS & FLOORS RESERVOIRS
Total	660 SQ FT
Completed	1989
Comments	XYPEX PRODUCTS WERE APPLIED TO BOTTOM AND WALLS OF THE WATER STORAGE FOR THE BANK.

* NEW ISTANBUL CONCERT HALL

No: 02925

	ISTANBUL
	TURKEY
Owner	ISTANBUL MUNICIPALITY
Contractor	KAYALAR CONSTRUCTION
Applicator	TOPSIT
Proj. Type	MISCELLANEOUS PROJECTS RESERVOIRS
Total	10,000 SQ FT
Completed	1989
Comments	XYPEX CONCENTRATE AND MODIFIED WERE APPLIED TO TWO WATER TANKS AND ONE FIRE BRIGADES WELL TO 18 M DEPTH.

* GLASS FACTORY INDUSTRIAL BUILDING

No: 02942

	KIRKLARELI
	TURKEY
Owner	T. SISE CAM
Designer	SISE CAM
Contractor	ISIK ENGINEERING
Applicator	TOPSIT
Proj. Type	FOUNDATION WALLS & FLOORS RESERVOIRS
Total	5,000 SQ FT
Completed	1989
Comments	XYPEX PRODUCTS WERE APPLIED TO BOTTOM AND WALLS OF THE WATER STORAGE OF THE FACTORY.

* WATER CONSERVATION BUREAU-JENYI RESEVOIRS

No: 03006

	CHIAI
	TAIWAN
Owner	JENYI RESEVOIR WTR CONSER
Designer	TAIWAN PROVINCIAL WATER DEPARTMENT
Contractor	RET-SER ENGINEERING AGENCY
Applicator	BIWOOD
Proj. Type	RESERVOIRS
Completed	1988

* WATER CONSERVATION BUREAU-FANY SHA DAM RESEVOIR

No: 03014

	HSINTIEN
	TAIWAN
Owner	TAIPEI CITY GOVERNMENT
Designer	SINOTECH ENGINEERING CONSULTANTS INC.
Contractor	RET-SER ENGINEERING AGENCY
Applicator	BIWOOD
Proj. Type	RESERVOIRS
Completed	1989
Comments	XYPEX CONCENTRATE, MODIFIED AND PATCH 'N PLUG WERE USED TO REPAIR WATER SEEPAGE THROUGH JOINTS IN THE WALLS OF THIS DAM. THE APPLICATION ELIMINATED ALL SEEPAGE AND PREVENTED OXIDATION OF THE STEEL REINFORCEMENT. THE DAM IS OPERATED BY THE WATER CONSERVATION BUREAU AND THE RESERVOIR SUPPLIES WATER FOR THE CITY OF TAIPEI.

* WATER CONSERVATION BUREAU-FEITSUI RESERVOIR

No: 03012

	TAIPEI HSINTIEN
	TAIWAN
Owner	TAIPEI CITY GOVERNMENT
Designer	SINOTECH ENGINEERING CONSULTANTS INC.
Contractor	RET-SER ENGINEERING AGENCY
Applicator	BIWOOD
Proj. Type	RESERVOIRS
Completed	1989

* NATIONAL CHUNG SHAN INSTITUTE OF SCIENCE RESERVOIR No: 03001

TAOYUAN
TAIWAN
Owner NATIONAL CHUNG SHAN INST.
Contractor KUOJI ARCHITECTURAL COMPANY
Applicator BIWOOD
Proj. Type RESERVOIRS
Completed 1987

* LOWER RUVU RIVER WATER PROJECT No: 02332

DAR ES SALAAM
TANZANIA
Designer UNDERWOOD MCLELLAN & ASSOCIATES
Contractor COMSTOCK CONSORTIUM INTERNATIONAL
Applicator XYPEX-SUPERVISED
Proj. Type WATER TREATMENT PLANTS
RESERVOIRS
Total 100,000 LBS
Completed 1975
Comments 50 TONS OF XYPEX MATERIALS WERE APPLIED ON THIS
CANADIAN GOVT. ASSISTED PROJECT TO PROVIDE MODERN WATER
TREATMENT FACILITIES. ALL DEFECTS IN THE CONCRETE WERE
REPAIRED USING XYPEX PRODUCTS FOLLOWED BY A TWO COAT
SLURRY APPLICATION TO THE CONCRETE SURFACES OF THE
DIGESTOR AND CLARIFIER TANKS, RESERVOIRS, ROOFSLABS AND
ABOVE AND BELOW GRADE WALLS.

* CRIMEA WATER FACILITY No: 11203

CRIMEA
UKRAINE
Proj. Type RESERVOIRS
CONCRETE PIPE

* R.S.A. TOWERS PARKING GARAGE WET WELLS No: 08417

MONTGOMERY, ALABAMA
U.S.A.
Designer GOODWIN MILLS & CAWOOD ARCHITECTS
Contractor DUNN CONSTRUCTION
Applicator SOUTHERN WATERPROOFING
Proj. Type RESERVOIRS
Total 5400 SQ FT
Completed 1994

* PHOENICIAN HOTEL

No: 02766

	PHOENIX, ARIZONA
	U.S.A.
Designer	HOWARD FIELDS & ASSOCIATES
Contractor	MCCARTHY WESTERN CONSTRUCTION
Proj. Type	RESERVOIRS
Total	1,080 LBS
Completed	1987
Comments	XYPEX WAS APPLIED TO THE WATER STORAGE TANKS UNDER THE HOTEL.

* CROWN ZELLERBACK

No: 01927

	ANTIOCH, CALIFORNIA
	U.S.A.
Owner	CROWN ZELLERBACK
Applicator	TARA COATINGS
Proj. Type	RESERVOIRS
Total	1,300 LBS
Completed	1983
Comments	CRACK REPAIRS

* WATER RESERVOIR

No: 01952

	CALISTOGA, CALIFORNIA
	U.S.A.
Proj. Type	RESERVOIRS
Comments	XYPEX PRODUCTS WERE USED TO REPAIR CRACKS IN A 5,000,000 GALLON RESERVOIR.

* MAZDA MOTOR COMPANY - WATER TANK

No: 02631

	CANOGA PARK, CALIFORNIA
	U.S.A.
Contractor	MCCORMICK CONSTRUCTION
Proj. Type	RESERVOIRS
Total	360 LBS
Completed	1985
Comments	THE INTERIOR OF THIS WATER STORAGE TANK WAS COATED WITH XYPEX MATERIALS.

* WATT CENTER WATER STORAGE TANK

No: 01409

CENTURY CITY, CALIFORNIA
U.S.A.
Owner WATT INDUSTRIES
Designer GIN WONG ENGINEERING
Contractor TURNER CONSTRUCTION
Applicator CPW INC
Proj. Type CONCRETE SILOS
RESERVOIRS
Completed 1981
Comments XYPEX WAS APPLIED TO INTERIOR OF THE WATER TANK.

* WATER RESERVOIR

No: 01954

DALY, CALIFORNIA
U.S.A.
Applicator ENGINEERED CONCR. WPG.LTD
Proj. Type RESERVOIRS
Comments CONCENTRATE WAS USED TO WATERPROOF INTERIOR OF THIS
500,000 GALLON WATER RESERVOIR.

* RUSSION RIVER RESERVOIR

No: 02301

DUNCAN MILLS, CALIFORNIA
U.S.A.
Owner CALIFORNIA DEPARTMENT OF PARKS & RECREATION
Applicator CALIFORNIA DEPARTMENT OF PARKS & RECREATION
Proj. Type RESERVOIRS
Total 300 LBS
Completed 1984

* NORTHRUP AIRCRAFT

No: 01955

HAWTHORNE, CALIFORNIA
U.S.A.
Owner NORTHRUP AIRCRAFT
Designer DANIEL L. DWORSKY
Contractor TURNER CONSTRUCTION
Applicator D. V. TROYER
Proj. Type RESERVOIRS
Total 17,100 SQ FT
Completed 1982
Comments A TWO COAT APPLICATION OF XYPEX CONCENTRATE & MODIFIED
WAS USED TO WATERPROOF A 450,000 GALLON WATER HOLDING
TANK AT THIS AIRCRAFT MANUFACTURERS FACILITY.

* HIGHLAND 250 RESERVOIR

No: 01956

	HAYWARD, CALIFORNIA
	U.S.A.
Owner	CITY OF HAYWARD
Applicator	MARKER PAINTING
Proj. Type	RESERVOIRS
Total	2,500 LBS
Completed	1978
Comments	REPAIRS TO A 250,000 GALLON TANK.

* WATER RESERVOIR

No: 01957

	HERALDSBURG, CALIFORNIA
	U.S.A.
Owner	CITY OF HERALDSBURG
Designer	RICHARDSON ENGINEERING
Applicator	ENGINEERED CONCR. WPG.LTD
Proj. Type	RESERVOIRS
Comments	XYPEX PRODUCTS WERE USED TO REPAIR CRACKS & OTHER DEFECTS IN 2 CONCRETE RESEVOIRS WHICH HAD BEEN PLACED OUT OF SERVICE DUE TO HEAVY LEAKAGE. AFTER THE XYPEX OPERATION, THE RESEVOIRS WERE PUT BACK INTO FULL SERVICE.

* McDONALD DOUGLAS UNDERSEA FACILITY

No: 01958

	HUNTINGTON BEACH, CALIFORNIA
	U.S.A.
Owner	MCDONALD DOUGLAS
Contractor	H. C. SMITH
Applicator	PACIFIC WPG. & RESTORAT'N
Proj. Type	RESERVOIRS
Total	9,000 SQ FT
Completed	1980
Comments	XYPEX PRODUCTS WERE USED TO COAT THE INTERIOR OF A 1,000,000 GAL. TEST TANK. "WHITE" WAS USED FOR BETTER VISIBILITY AND ILLUMINATION.

* MACARTHUR SQUARE WATER STORAGE TANK

No: 02634

	IRVINE, CALIFORNIA
	U.S.A.
Owner	KOLL COMPANY
Designer	SKIDMORE OWENS & MERRIL
Contractor	THE KOLL COMPANY
Applicator	D V TROYER COMPANY
Proj. Type	RESERVOIRS
Total	40,000 SQ FT
Completed	1985
Comments	THE INSIDE OF THIS 500,000 GAL WATER STORAGE TANK WAS TREATED ACCORDING TO XYPEX SPECIFICATIONS.

* SUTTER LAKESIDE HOSPITAL

No: 08585

	LAKEPORT, CALIFORNIA
	U.S.A.
Owner	SUTTER LAKESIDE HOSPITAL
Designer	SILVA STRONG ARCHITECT
Contractor	MCCATHY WESTERN CONSTRUCTION
Applicator	EICHERT AGGREGATES
Proj. Type	FOUNDATION WALLS & FLOORS
	RESERVOIRS
Total	1,300 CU YDS
Comments	APPROXIMATELY 13,000 POUNDS OF XYPEX ADMIX C-2000 WAS USED IN THE CONCRETE FOR THIS HOSPITAL.

* SAHARA PACKING WATER TANK

No: 09518

	LOMPOC, CALIFORNIA
	U.S.A.
Owner	SAHARA PACKING
Contractor	OWNER
Applicator	OWNER
Proj. Type	RESERVOIRS
Total	1200
Comments	TANK IS USED TO CHILL WATER WHICH IS THEN USED IN THEIR PACKAGING PROCESS.

* BANK OF AMERICA COMPUTER CENTER

No: 01959

LOS ANGELES, CALIFORNIA
U.S.A.

Owner BANK OF AMERICA
Designer SKIDMORE OWENS & MERRILL
Contractor DINWIDDIE CONSTRUCTION
Applicator DINWIDDIE CONSTRUCTION
Proj. Type RESERVOIRS
Completed 1978
Comments TWO 200,000 GALLON WATER STORAGE AND ONE 100,000 GALLON
TANK, PLUS FOUNDATION WALLS.

* KILROY OFFICE BUILDING

No: 01960

LOS ANGELES, CALIFORNIA
U.S.A.

Owner KILROY
Designer INTERNATIONAL PARKING DESIGN
Contractor DINWIDDIE CONSTRUCTION
Applicator DINWIDDIE
Proj. Type RESERVOIRS
Total 27,000 SQ FT
Completed 1982
Comments 9,000 LB. XYPEX APPLIED TO THE WATER STORAGE TANK

* CALIFORNIA PLAZA HIGH RISE

No: 02629

LOS ANGELES, CALIFORNIA
U.S.A.

Designer GRUEN ASSOCIATES
Contractor HCB CONTRACTORS
Proj. Type RESERVOIRS
VAULTS & ELEVATOR PITS
Total 7,000 SQ FT
Comments 2500 LBS. WATER STORAGE TANK AND ELEVATOR PITS. COLD
TAR EPOXY WAS REMOVED FROM INSIDE WATER STORAGE TANK
BECAUSE IT WAS LEAKING AND XYPEX WAS APPLIED. NO
PROBLEMS.

* WATER STORAGE TANK

No: 02648

LOS ANGELES, CALIFORNIA
U.S.A.
Contractor SWINERTON & WALBERG
Applicator EBERHARD ROOFING
Proj. Type RESERVOIRS
Total 500 LBS
Completed 1985

* WATER STORAGE TANK

No: 02637

LOS ANGELES, CALIFORNIA
U.S.A.
Contractor MORLEY CONSTRUCTORS INC
Applicator EBERHARD ROOFING
Proj. Type RESERVOIRS
Total 1,200 LBS
Completed 1985
Comments XYPEX WAS APPLIED TO SHOTCRETE WALLS ON THE INTERIOR OF
THIS WATER STORAGE TANK.

* MORRISON HOMES

No: 01961

PLEASANT HILLS, CALIFORNIA
U.S.A.
Owner MORRISON HOMES
Contractor MORR
Applicator MORRISON HOMES
Proj. Type RESERVOIRS
Total 1,000 LBS
Completed 1981
Comments NEW CONSTRUCTION CONCRETE CONSERVATION PITS.

* SACRAMENTO COOLING TOWER

No: 02243

SACRAMENTO, CALIFORNIA
U.S.A.
Proj. Type RESERVOIRS
CONCRETE SILOS
Comments INTERIOR APPLICATION OF XYPEX TO THE BASE OF COOLING
TOWER TO CORRECT EXISTING LEAKAGE PLUS PACKING AROUND
INLET PIPES TO STOP WATER LEAKAGE.

* BANK OF AMERICA DATA PROCESSING CENTER

No: 02309

	SAN FRANCISCO, CALIFORNIA
	U.S.A.
Contractor	DINWIDDIE CONSTRUCTION
Applicator	E.C.W.
Proj. Type	RESERVOIRS
Comments	XYPEX CONCENTRATE WAS APPLIED TO WATERPROOF THE WATER STORAGE TANKS USED TO COOL THE COMPUTERS.

* SAN FRANCISCO MAIN LIBRARY

No: 09425

	SAN FRANCISCO, CALIFORNIA
	U.S.A.
Owner	CITY OF SAN FRANCISCO
Designer	PEI COBB FREED & PARTNERS
Contractor	HUBER, HUNT & NICHOLS
Applicator	BLUES ROOFING COMPANY
Proj. Type	RESERVOIRS
Total	6,000 SQ FT
Comments	17 X 60 LB. PAILS XYPEX CON WHITE WAS USED FOR THE FIRE SPRINKLER WATERTANK. "XYPEX WORKED GREAT".

* OIL STORAGE TANKS & TRANSFER TUNNELS

No: 08146

	SAN FRANCISCO, CALIFORNIA
	U.S.A.
Owner	CHEVRON USA
Designer	OVERAA & CO.
Proj. Type	TUNNELS & SUBWAY SYSTEMS
	RESERVOIRS
Comments	MATERIAL WAS REQUESTED BY CHEVRON OIL USA. DS1 WAS APPLIED TO OIL STORAGE TANKS AND TRANSFER TUNNELS LOCATED ON THE SHORE OF SAN FRANCISCO BAY. XYPEX USED TO PREVENT WATER SEEPAGE INTO THE TRANSFER TUNNELS AND TANKS.

* PEACOCK GAP WATER RESERVOIR

No: 02613

SAN RAFAEL, CALIFORNIA
U.S.A.

Owner MARIN NUMICIPAL WTR DIST
Designer MARIN MUNICIPAL WATER DISTRICT
Contractor GHILOTTI BROS
Applicator UNIVERSAL PROTECTIVE COATINGS
Proj. Type RESERVOIRS
Total 2,835 LBS
Completed 1985
Comments 5,000,000 GAL RESERVOIR. WALLS RECEIVED A XYPEX TREAT-
MENT PLUS A SEALING STRIP OF "CONCENTRATE" DRY PAC WAS
INSTALLED AT THE FLOOR/WALL INTERFACE.

* PEACOCK GAP WATER TANK RESERVOIR

No: 02971

SAN RAFAEL, CALIFORNIA
U.S.A.

Owner MARIN MUNICIPAL WATER DIS
Designer MARIN MUNICIPAL WATER DISTRICT
Contractor GHILOTTI BROS
Applicator UNIVERSAL PROTECTIVE COATINGS
Proj. Type RESERVOIRS
Comments 1260 lbs. CONCENTRATE & 600 lbs. MODIFIED USED SO FAR.
5,000,000 GAL RESERVOIR.

* PACIFIC BELL TELEPHONE

No: 02302

SAN RAMON, CALIFORNIA
U.S.A.

Contractor SWINERTON - WALBERG
Applicator VALLEY WATERPROOFING
Proj. Type RESERVOIRS
Total 2,850 LBS
Completed 1984

* SILICONIX WATER STORAGE TANK

No: 02713

	SANTA CLARA, CALIFORNIA
	U.S.A.
Owner	SILICONIX INC.
Designer	RINNE & PETERSON
Contractor	RAY WILSON COMPANY
Applicator	AQUAPROOF
Proj. Type	RESERVOIRS
Total	3,120 LBS
Completed	1986
Comments	BELOW GRADE WATER STORAGE TANK. WALLS RECEIVED TWO COATS XYPEX CONCENTRATE AT 1.5 LB/SQ YD. THE SLAB RECEIVED TWO COATS OF XYPEX CONCENTRATE AT 1.25 LB PER SQUARE YARD PER COAT.

* COTTNER OFFICE BUILDING WATER TANK

No: 02644

	SANTA MONICA, CALIFORNIA
	U.S.A.
Contractor	C W DRIVER
Applicator	MASONRY WATERPROOFING
Proj. Type	RESERVOIRS
Total	3,600
Completed	1985
Comments	CONCRETE WATER TANK WAS TREATED WITH XYPEX PRODUCTS.

* CITY OF SANTA ROSA

No: 02317

	SANTA ROSA, CALIFORNIA
	U.S.A.
Applicator	E.C.W.
Proj. Type	RESERVOIRS
Comments	XYPEX CONCENTRATE WAS USED TO STOP LEAKAGE IN TWO CITY RESERVOIRS.

* HEWLETT - PACKARD WATER TANK

No: 01962

	SANTA ROSA, CALIFORNIA
	U.S.A.
Contractor	HAAS & HAYNIE COMPANY
Applicator	WARREN RILES COMPANY
Proj. Type	RESERVOIRS
Comments	XYPEX PRODUCTS WERE USED TO REPAIR 268 LF OF CRACK AND 960 S.F. OF SURFACE ON A POURED IN PLACE CONCRETE WATER TANK.

* CAMP FAR WEST HYDROPROJECT

No: 02304

SHERIDAN, CALIFORNIA
U.S.A.
Owner SOUTH SUTTER WATER DIST.
Designer TUDOR ENGINEERING
Contractor DILLINGHAM CONSTRUCTION
Proj. Type DAMS
RESERVOIRS
Total 1,000 LBS
Completed 1983

* M & H WINERY

No: 01963

YOUNTVILLE, CALIFORNIA
U.S.A.
Applicator CALIF. E.C.W. LTD.
Proj. Type RESERVOIRS
MISCELLANEOUS PROJECTS
Comments XYPEX CONCENTRATE WAS APPLIED TO THIS 4,000 GAL.
RESEVOIR.

* GAINSVILLE CLINIC PRACTICE BUILDING

No: 07935

GAINSVILLE, FLORIDA
U.S.A.
Designer FLAD ASSOCIATES
Applicator AZTEC WATERPROOFING
Proj. Type RESERVOIRS
Total 20,000 SQ FT
Comments STORM WATER RETENTION BASINS WHICH COLLECT RAINWATER TO
PROTECT AGAINST OVERFLOW INTO STORM SEWERS. XYPEX
PRODUCTS APPLIED WERE CONCENTRATE AND MODIFIED.

* NAVAL AIR STATION - BLOW DOWN TANK

No: 09346

JACKSONVILLE, FLORIDA
U.S.A.
Owner U.S. NAVY
Proj. Type CHEMICAL & CHLORIDE PROTECTION
RESERVOIRS
Comments XYPEX ADMIX WAS USED TO STOP GROUND WATER INTRUSION AND
FOR REHAB OF 55 YEAR OLD CONCRETE TANK, WHICH WAS
SEVERELY DEGRADED THRU EXPOSURE TO SULPHURIC ACID BLOW
SUBSTRATE WAS CLEANED AND EXCESS CORROSION FROM REBAR
WAS REMOVED. 4" OF SHOTCRETE WAS FORTIFIED WITH XYPEX
ADMIX THEN SLURRY COATS OF CONCENTRATE AND MODIFIED
APPLIED.

* UNIVERSITY OF FLORIDA - FILTRATION TANK

No: 11960

	JACKSONVILLE, FLORIDA
	U.S.A.
Owner	UNIVERSITY OF FLORIDA
Applicator	INTRON TECHNOLOGIES, INC.
Proj. Type	RESERVOIRS
Comments	THIS CONCRETE TANK WAS WATERPROOFED FROM THE OUTSIDE AS TANK COULD NOT BE TAKEN DOWN. THIS IS A WATER FILTRATION TANK FOR A VERY LARGE SWIMMING POOL. AN APPLICATION OF CONCENTRATE, PATCH 'N PLUG, AND MODIFIED WAS USED.

* ESCAMBIA COUNTY UTILITIES AUTHORITY

No: 09410

	PENSACOLA, FLORIDA
	U.S.A.
Contractor	THE INDUSTRIAL COMPANY
Proj. Type	RESERVOIRS
Completed	JUNE 1996
Comments	48 PAILS OF XYPEX CONCENTRATE AND 48 PAILS OF XYPEX MODIFIED WERE APPLIED TO THE INTERIOR WALL OF THE EXISTING RESERVOIR TO INCREASE ITS USABLE LIFE.

* DEPARTMENT OF WATER SUPPLY (HILO)

No: 09065

	HAWAII
	U.S.A.
Owner	COUNTY OF HAWAII
Designer	(THIS IS AN EXISTING POTABLE WATER TANK)
Contractor	DEPARTMENT OF WATER SUPPLY
Proj. Type	RESERVOIRS
Comments	REPAIRED CONCRETE POTABLE WATER TANK LEAKING WATER THROUGH CRACKS. TANK REPAIRED ON THE EXTERIOR WITHOUT DRAINING TANK. XYPEX SUCCESSFULLY STOPPED WATER LEAK.

* UNIVERSITY OF IOWA - COOLING TOWER

No: 08092

IOWA CITY, IOWA
U.S.A.

Owner UNIVERSITY OF IOWA
Designer STANLEY CONSULTANTS
Contractor MID-AMERICA CONSTRUCTION
Applicator MID-AMERICA CONSTRUCTION
Proj. Type RESERVOIRS
Total 4,000 SQ FT
Completed June 1993
Comments XYPEX WAS USED IN THE COOLING TOWER BASIN AT WEST CAMPUS CHILLED WATER FACILITY. XYPEX CONCENTRATE AND MODIFIED WERE APPLIED TO THE BASIN SLAB TO SEAL THE CONCRETE AND TO CORRECT VARIOUS DEFICIENCIES CAUSED BY IMPROPER COLD WEATHER PROTECTION DURING CURING OF THE CONCRETE.

* I.L.F. ENERGY PLANT

No: 02338

IDAHO FALLS, IDAHO
U.S.A.

Designer HUMMELL JONES MILLER & HUNSECKER
Contractor ORMAND CONSTRUCTION CO.
Proj. Type RESERVOIRS
NUCLEAR & POWER GENERATING STATIONS
Total 11,000 SQ FT
Completed 1984
Comments XYPEX APPLIED TO WALLS, FLOORS AND ROOF OF COOLING TANK CHAMBERS.

* TWIN FALLS NUCLEAR ENERGY PLANT

No: 02413

TWIN FALLS, IDAHO
U.S.A.

Proj. Type NUCLEAR & POWER GENERATING STATIONS
RESERVOIRS
Completed 1983
Comments XYPEX APPLIED TO ALL FLOORS AND WALLS OF 4 "HOT" WATER STORAGE TANKS.

* GRAYSLAKE RESERVOIR

No: 09673

	ILLINOIS
	U.S.A.
Owner	VILLAGE OF GRAYSLAKE
Designer	MIDWEST CONSULTING ENGINEERS - DAMES & MOORE
Contractor	KENO & SONS
Applicator	KENO & SONS
Proj. Type	RESERVOIRS
Completed	06/06/95
Comments	7-500 LB BARRELLS OF CONCENTRATE AND MODIFIED USED TO WATERPROOF THIS NEW WATER RESERVOIR.

* SOUTH COOLING TOWER REPLACEMENT

No: 08077

	O'HARE AIRPORT, ILLINOIS
	U.S.A.
Owner	O'HARE AIRPORT
Designer	BLACK & VEATCH
Contractor	CONCRETE STRUCTURES OF THE MIDWEST
Applicator	NIKOLAS PAINTING
Proj. Type	RESERVOIRS
Total	32,000 SQF SQ FT
Completed	01/01/94
Comments	XYPEX WAS SPRAY APPLIED TO APPROXIMATELY 32,000 SQ. FT. OF THIS COOLING TOWER ADDITION AT O'HARE AIRPORT.

* PATOKA LAKE REGIONAL WATER PLANT

No: 07859

	JASPER, INDIANA
	U.S.A.
Designer	MIDWESTERN ENGINEERING
Contractor	MITCHEL & STARK CONSTRUCTION
Applicator	NEU-CO
Proj. Type	WATER TREATMENT PLANTS
	RESERVOIRS
Total	50,000 SQ FT
Completed	1994
Comments	TWO COAT APPLICATION OF XYPEX CONCENTRATE AND MODIFIED TO 50,000 SQ. FT. OF TANK SURFACE.

* PATOKA LAKE WATER TREATMENT PLANT

No: 02680

	PATOKA LAKE, INDIANA
	U.S.A.
Contractor	JOHN REYNOLDS & SONS
Applicator	NEU-CO CONSTRUCTION SERVICES
Proj. Type	WATER TREATMENT PLANTS
	RESERVOIRS
Total	710 SQ FT
Completed	1985
Comments	CRACK REPAIR AND SPRAY APPLICATION OF INTERIOR OF WATER FILTER TANK.

* KCL WATER HOLDING TANKS

No: 02342

	SHELBYVILLE, INDIANA
	U.S.A.
Contractor	KCL CORPORATION
Applicator	CWI CORPORATION
Proj. Type	RESERVOIRS
Total	9,600 SQ FT
Completed	1983
Comments	TOP SLAB OF WATER HOLDING TANK USED FOR FIRE PREVENTION SIZE 80 X 120. 9,600 SQ FT, 1,200 LIN FT, 4,700 LB, JOB WENT VERY SMOOTH AND THE XYPEX DID AN EXCELLENT JOB.

* TIPTON UV DISINFECTION SYSTEM

No: 07807

	TIPTON, INDIANA
	U.S.A.
Designer	HNTB
Applicator	NEU-CO
Proj. Type	RESERVOIRS
Total	2,00 SQ FT
Completed	1992
Comments	TWO COAT APPLICATION

* FORD MOTOR PLANT - WASTE WATER TANK

No: 02421

LOUISVILLE, KENTUCKY
U.S.A.

Owner FORD MOTOR COMPANY
Designer HARLEY ELLINGTON PIERCE YEE ASSOCIATES
Contractor BARMORE CONSTRUCTION, INC
Applicator REFINED CONCRETE WATERPROOFING, INC
Proj. Type CHEMICAL & CHLORIDE PROTECTION
RESERVOIRS

Total 10,000 SQ FT
Completed 1986
Comments ALL INTERIOR SURFACES OF TANK (INCLUDING ALL
CONSTRUCTION JOINTS) WERE TREATED WITH XYPEX SYSTEM.
APPROX 4,000 LBS OF XYPEX PRODUCTS USED.

* SUPER COMPUTER FACILITY - COOLING TOWER BASIN

No: 10156

MARYLAND
U.S.A.

Owner U.S. FEDERAL GOVERNMENT
Designer THE HILLIER GROUP
Contractor B.C.I. BELL CONTRACTORS
Applicator S.T.I. PAINTING & SEALANT CONTRACTORS
Proj. Type RESERVOIRS

Total 54,000 SQ FT
Completed 03/12/97
Comments COOLING TOWER BASIN WAS TREATED WITH XYPEX CONCRETE
WATERPROOFING AND PROTECTION SYSTEM. CRACKS WERE
REPAIRED WITH XYPEX CONCENTRATE DRY-PAC, THEN A TWO
COAT XYPEX SYSTEM WAS APPLIED OVER WALLS AND FLOORS.

* UNIVERSITY OF MICHIGAN HOSPITAL

No: 01967

ANN ARBOR, MICHIGAN
U.S.A.

Owner UNIVERSITY OF MICHIGAN
Designer ALBERT KAHN ASSOCIATES INC.
Contractor CALCULUS CONSTRUCTION
Applicator CALCULUS CONSTRUCTION
Proj. Type RESERVOIRS

Total 25,000 SQ FT
Comments 1 MILLION GALLON RESERVOIR. TREATED ALL INTERIOR AND
EXTERIOR WALLS, FLOORS, CONSTRUCTION JOINTS.

* DETROIT WATER & SEWAGE DEPARTMENT

No: 01857

DETROIT, MICHIGAN
U.S.A.
Owner CITY OF DETROIT
Designer CITY OF DETROIT
Applicator CALCULUS CONSTRUCTION CO.
Proj. Type RESERVOIRS
Total 3,000 LIN FT
Completed 1982
Comments TEN MILLION GALLON RESERVOIR.

* MYERS THRIFTY ACRES

No: 01970

FLINT, MICHIGAN
U.S.A.
Owner MYERS THRIFTY ACRES
Designer SAMBORN STEKETEE OTIS & EVANS
Contractor R. E. DALY
Applicator CONCRETE WATERPROOFING SYSTEMS
Proj. Type RESERVOIRS
Total 4,000 LBS
Comments SERVICE AREA CONSTRUCTION JOINTS AND ROD HOLES OF
150,000 GALLON HOLDING TANK. SPRAY TWO COATS AND DRY
PACK ROD HOLES AND CONSTRUCTION JOINTS.

* CITY OF HIGHLAND PARK RESERVOIR

No: 12696

HIGHLAND PARK, MICHIGAN
U.S.A.
Owner CITY OF HIGHLAND PARK
Designer D.L.Z.
Contractor O'LAUGHLIN CONSTRUCTION
Applicator CONCRETE WATERPROOFING SYSTEMS, INC.
Proj. Type RESERVOIRS
Total 221,000 SQ FT
Completed Nov. 2000
Comments 49,000 LBS. OF XYPEX CONCENTRATE WAS USED TO WATERPROOF
THE INTERIOR SURFACES OF THE WATER RESERVOIR. THE
STRUCTURE IS 100 YEARS OLD.

* BELL TELEPHONE COMPUTER CENTER

No: 01971

SOUTHFIELD, MICHIGAN
U.S.A.
Designer HARLEY ELLINGTON PIERCE YEE ASSOCIATES
Proj. Type RESERVOIRS
Total 10,000 SQ FT
Comments COOLING TOWER BASINS.

* CRYSTEEL CORPORATION

No: 02293

LAKE CRYSTEEL, MINNESOTA
U.S.A.
Designer FOWLER - HANLEY
Contractor FULLER CONSTRUCTION CO.
Applicator WATERPROOFING INC.
Proj. Type RESERVOIRS
Total 2,600 SQ FT
Comments XYPEX PRODUCTS WERE APPLIED TO WALLS & FLOOR OF
UNDERGROUND STORAGE TANK.

* ST. LOUIS FORD ASSEMBLY PLANT

No: 02341

HAZELWOOD, MISSOURI
U.S.A.
Owner FORD MOTOR COMPANY
Designer HARLEY ELLINGTON PIERCE YEE ASSOCIATES
Contractor MCCARTHY BROTHERS COMPANY
Applicator C.W.I. CORPORATION
Proj. Type RESERVOIRS
Total 1,115 LIN FT
Completed 1984
Comments XYPEX APPLIED TO INTERIOR TANK WALLS AS WELL AS 1,115
LINEAR FEET OF CONSTRUCTION JOINTS. CRACK REPAIR WAS
ALSO DONE AS AN ADD-ON TO THIS CONTRACT WHEN CRACKS
DEVELOPED IN THE CENTER WALL OF THE TANK AFTER
CONSTRUCTION WAS COMPLETE.

* MISSISSIPPI CHEMICAL - WATER COOLING TOWER

No: 01729

YAZOO CITY, MISSISSIPPI
U.S.A.
Owner MISSISSIPPI CHEMICAL COMPANY
Contractor FLETCHER CONSTRUCTION CO
Proj. Type CONCRETE SILOS
RESERVOIRS
Comments XYPEX CONCENTRATE WAS APPLIED TO THE EXTERIOR WALLS OF
A WATER COOLING TOWER TO STOP SEEPAGE. THE TOWER WAS
DRAINED BEFORE APPLICATION.

* POTABLE WATER RESERVOIR

No: 02257

MANDAN, NORTH DAKOTA
U.S.A.
Designer ELLERBE ARCHITECTS
Contractor SCAN CONSTRUCTION
Applicator CONTRACTOR
Proj. Type RESERVOIRS
VAULTS & ELEVATOR PITS
Total 1,200 SQ FT
Comments XYPEX MATERIALS USED TO REPAIR AND WATERPROOF TOWER
CRANE AREA AND SUMP PIT

* ELECTRIC & GAS LINDEN SNG PLANT

No: 01872

LINDEN, NEW JERSEY
U.S.A.
Owner PUBLIC SERVICE E.&GAS CO.
Designer PUBLIC SERVICE ELECTRIC & GAS
Contractor CRYSTALLINE CONCRETE WPG.
Applicator SAME
Proj. Type RESERVOIRS
Total 1,500 LBS
Completed 1979
Comments 7,000 SF, 130 LF. REPAIR OF CRACKS IN SURGE TANK AND
COATING OF INSIDE AND OUTSIDE WALLS ONLY OF TANK TO
STOP LEAKAGE OUT OF SURGE TANK TO THE SATISFACTION OF
THE E.P.A. XYPEX CALLED IN TO REPAIR. EVEN THOUGH TANK
HAS OPENED NEW CRACKS THROUGH SETTLING (TANK ON MARSHY
GROUND), NO NEW LEAKS.

* HIGH STREET RESERVOIR & PUMP STATION

No: 09590

	NEWTON, NEW JERSEY
	U.S.A.
Designer	MONTGOMERY WATSON AMERICAS, INC.
Proj. Type	PUMP STATIONS
	RESERVOIRS

* HIGH STREET RESERVOIR & PUMPING STATION

No: 09682

	NEWTON, NEW JERSEY
	U.S.A.
Owner	TOWN OF NEWTON
Designer	MONTGOMERY WATSON AMERICAS, INC.
Proj. Type	PUMP STATIONS
	RESERVOIRS

* WASTE WATER TREATMENT LAGOON

No: 03044

	WAYNE, NEW JERSEY
	U.S.A.
Owner	DRAKES BAKERIES INC.
Designer	CAMP DRESSER & MCKEE INCORPORATED
Contractor	NEWARK CONCRETE WATERPROOFING
Applicator	NEWARK CONCRETE WATERPROOFING
Proj. Type	SEWAGE & WASTEWATER TREATMENT PLANTS
	RESERVOIRS
Total	12,000 SQ FT
Completed	1991
Comments	REPAIR OF 600+ CRACKS - 2 COAT APPLICATION TO WALLS AND SLAB - 12,000 SQ. FT. REMEDIAL REHAB.

* FARMINGTON ZONE 3C RESERVOIR

No: 01972

	FARMINGTON, NEW MEXICO
	U.S.A.
Applicator	VIELSONS INC.-CORTEZ, CO
Proj. Type	RESERVOIRS
Total	3,750 LBS
Comments	REMEDIAL WORK.

* WELL IMPROVEMENT FACILITIES

No: 01976

	KINGSTON, NEW YORK
	U.S.A.
Owner	SAME
Designer	EPEC CONSULTING
Applicator	ROC CON SUPPLIES
Proj. Type	RESERVOIRS
Total	3,100 SQ FT
Comments	ASSORTED CRACKS, HONEYCOMBING, ETC. WERE FIRST REPAIRED WITH XYPEX FOLLOWED BY TREATING ENTIRE INSIDE SURFACE OF THE TANK.

* LAKE HEFNER RESEVOIR

No: 01974

	OKLAHOMA, OKLAHOMA
	U.S.A.
Applicator	OKLAHOMA CONCR. WPG. LTD.
Proj. Type	RESERVOIRS
Comments	WATER TANK.

* HECETA WATER RESERVOIR

No: 11222

	OREGON
	U.S.A.
Owner	HECETA WATER DISTRICT
Designer	OBEC ENGINEERING
Contractor	CONTECH SERVICES
Applicator	CONTECH SERVICES
Proj. Type	RESERVOIRS
Total	1,500 LBS

* BAKER CITY RESERVOIR

No: 08220

	BAKER CITY, OREGON
	U.S.A.
Owner	BAKER CITY
Designer	HGE ENGINEERING
Applicator	PIONEER WATERPROOFING
Proj. Type	RESERVOIRS
Total	11,440 SQ FT
Comments	A TWO COAT APPLICATION OF XYPEX CONCENTRATE AND XYPEX MODIFIED WAS SPRAY APPLIED USING A HYFLEX PUMP.

* HERMISTON BUTTE RESERVOIR

No: 11461

	HERMISTON, OREGON
	U.S.A.
Owner	CITY OF HERMISTON
Designer	KCM ENGINEERS
Contractor	MOUNTAIN STATES CONSTRUCTION
Applicator	THE PAINTSMITH
Proj. Type	RESERVOIRS
Completed	March 1999
Comments	AFTER POST TENSIONING THE FLOOR SLAB, STRESS CRACKS APPEARED ON THE SLAB. ACCESS TO THE RESERVOIR IS VERY DIFFICULT, THE SITE BEING BLASTED OUT OF SOLID VOLCANIC ROCK. AFTER COMPLETION THE ENTIRE STRUCTURE EXCEPT LID IS TO BE BURIED. GAMMA CURE APPROVED FOR ITS ABILITY TO ACCELERATE THE CURING PROCESS. 1750 LBS. OF CONCENTRATE & 15 GALLONS OF GAMMA CURE USED.

* JEFFERSON CITY RESERVOIR

No: 10917

	JEFFERSON CITY, OREGON
	U.S.A.
Owner	JEFFERSON CITY WATER PUBLIC WORKS
Designer	WESTECH ENGINEERING
Contractor	MARION CONSTRUCTION
Applicator	JOHN'S WATERPROOFING
Proj. Type	RESERVOIRS
Completed	03/10/98
Comments	XYPEX CONCENTRATE USED ON INTERIOR WALLS OF CAST-IN-PLACE RESERVOIR. CAPACITY: 1.75 MILLION GAL. WALLS WERE POURED 22" THICK. XYPEX TREATMENT PASSED TREATMENT TEST AFTER 3 WEEKS SUBMERSION. SIX VERY MINOR SHRINKAGE CRACKS REPAIRED WITH 50/50 MIX OF CONCENTRATE/PATCH 'N PLUG RUBBED INTO SURFACE. WATER SEEPAGE TOO MINOR TO DETECT BY VOLUME LOSS MEASUREMENT

* EOLA HEIGHTS WATER RESERVOIR

No: 11874

	SALEM, OREGON
	U.S.A.
Owner	LIMELIGHT ASSOCIATES
Designer	MULTI TECH ENGINEERING
Contractor	JAMES W. FOWLER
Applicator	EVAN HOUSE COMPANY
Proj. Type	RESERVOIRS
Total	4,240 LBS
Completed	NOV. 1999
Comments	A TWO-COAT APPLICATION OF XYPEX CONCENTRATE (2500 LBS.) AND MODIFIED (1750 LBS.) WAS APPLIED. CONSTRUCTION JOINTS WERE SEALED BY THE XYPEX "DRY PAC" METHOD.

* BELLWOOD WATER STORAGE TANK

No: 08080

ALTOONA, PENNSYLVANIA
U.S.A.
Owner ALTOONA CITY AUTHORITY
Designer GWIN DOBSON & FOREMAN
Contractor FIORE
Proj. Type RESERVOIRS

* FLEETWOOD WATER STORAGE FACILITY

No: 07804

FLEETWOOD, PENNSYLVANIA
U.S.A.
Owner FLEETWOOD TOWNSHIP
Designer MOTLEY ENGINEERING
Contractor HOWARD ROBSON
Applicator HOWARD ROBSON
Proj. Type RESERVOIRS

* NANTY GLO WATER TREATMENT PLANT

No: 08391

NANTY GLO, PENNSYLVANIA
U.S.A.
Owner CITY OF NANTY GLO
Contractor JOHN DEKLEWA & SONS
Applicator SPECIALTY COATINGS
Proj. Type WATER TREATMENT PLANTS
RESERVOIRS
Total 20,000 SQ FT
Completed 1992
Comments XYPEX APPLIED TO WALLS COLUMNS AND FLOOR OF THIS BELOW
GRADE TANK. A TOTAL OF 20,000 SQ. FT. WAS TREATED.
XYPEX REPLACED SPECIFIED EPOXY COATING BECAUSE
SUBSTRATE WAS TOO DAMP FOR EPOXY APPLICATION.

* RIO MAR RESORT & CONDO GOLF CLUB HOUSE

No: 09669

	PUERTO RICO
	U.S.A.
Owner	RIO MAR ASSOCIATES
Designer	SIERRA, CARDONA & FERRER
Contractor	CARIBBEAN INDUSTRIAL
Applicator	IMPERMEATEC
Proj. Type	PRE-CAST CONCRETE STRUCTURES
	RESERVOIRS
Total	6,000 SQ FT
Completed	Oct. 1996
Comments	APPROX. 6,000 SQ. FT. OF FLOOR SURFACE WAS TREATED WITH XYPEX CONCENTRATE USING THE BROADCAST METHOD. ELEVATOR PITS WERE ALSO WATERPROOFED.

* HACIENDA TAMARINDO CISTERN

No: 09671

	VIEQUES, PUERTO RICO
	U.S.A.
Owner	HACIENDA TAMARINDO HOTEL
Designer	MARCELINO ACOSTA P.E.
Contractor	CAEO MOLINA CONTRACTOR
Proj. Type	ESERVOIRS
Total	,000 GAL.
Completed	March/96
Comments	C-2000 WAS USED IN THIS 5,000 GALLON NEW CISTERN.DOSAGE WAS 1.8% ON A 3,000 PSI DESIGN AND WAS MIXED ON SITE.

* HUNTSVILLE UTILITY DISTRICT

No: 02298

	SCOTT COUNTY, TENNESSEE
	U.S.A.
Designer	BARGE WAGNER SUMNER CANNON ENGINEERING
Applicator	CONCRETE WPG. OF TENNESSE
Proj. Type	RESERVOIRS
Comments	TANK WALLS, MECHANICAL BUILDING ROOF AND BLOCK WALLS, 500,000 GALLON TANKS.

* ALBERT ULLRICH WATER TREATMENT PLANT - RESERVOIR No: 02869

AUSTIN, TEXAS

U.S.A.

Owner CITY OF AUSTIN

Designer ESPEY HUSTON/ENGINEERING SCIENCE

Contractor CLEARWATER CONTRACTORS

Applicator E & M PAINTING

Proj. Type RESERVOIRS

Total 140,000 SQ FT

Completed 1986

Comments XYPEX WAS APPLIED TO THE INTERIOR AND EXTERIOR OF THIS
10,000,000 GAL RESERVOIR.

* ADVANCED MICRO DEVICES - COOLING BASIN No: 08438

AUSTIN, TEXAS

U.S.A.

Owner ADVANCED MICRO DEVICES CORP

Designer CRS SIRRINE INC

Contractor H.B. ZACHARY COMPANY, INC

Applicator CAPITAL AGGREGATES, INC

Proj. Type RESERVOIRS

Total 5,400 LBS

Completed APRIL 1994

Comments XYPEX ADMIX C-2000 WAS ADDED TO ALL CONCRETE USED FOR
THE COOLING BASIN.

* CLIFTON TEXAS 100,000 GALLON CONCRETE STORAGE TANK No: 08292

CLIFTON, TEXAS

U.S.A.

Owner CITY OF CLIFTON

Contractor CONCRETE STABILIZATION BY ALLIED, INC.

Proj. Type RESERVOIRS

Total 10,000 LBS

Completed JUNE 1993

Comments THIS TANK WAS BUILT IN 1924 AND HAS NEVER HELD WATER.
ONCE 600 FEET OF CRACK REPAIR WITH PATCH'N PLUG,
APPLICATION OF 4,800 LBS. OF CONCENTRATE, AND 1,800
LBS. OF MODIFIED WAS PERFORMED, THE TANK HAS HELD WATER
SINCE JULY 93 WITH NO LEAKAGE.

* LAKE JUNE PUMP STATION - RESERVOIR

No: 09409

DALLAS, TEXAS
U.S.A.

Owner CITY OF DALLAS - DALLAS WATER UTILITIES
Designer BOYLE CONSULTING ENGINEERS/SURVEYORS
Contractor CAJUN CONTRACTORS, INC.
Applicator LACY & COMPANY, INC.
Proj. Type RESERVOIRS
Total 140,000 SQ FT
Completed Jan. 1996
Comments THE DOUBLE T'S OF THIS RESERVOIR WERE SANDBLASTED THEN TREATED WITH ONE COAT OF XYPEX CONCENTRATE AND ONE COAT OF XYPEX MODIFIED TO PREVENT FURTHER PENETRATION OF CHLORINATED WATER WHICH WAS ATTACKING AND CORRODING THE REINFORCING STEEL.

* ARCO CO2 PLANT - COOLING TOWER BASIN

No: 08609

DENVER CITY, TEXAS
U.S.A.

Owner ARCO OIL & GAS COMPANY
Designer ARCO ENGINEERING DIV
Contractor ARCO ENGINEERING DIV
Proj. Type RESERVOIRS
Total 1,600 LBS
Completed 1994
Comments XYPEX ADMIX C-2000 WAS ADDED TO ALL CONCRETE USED IN THE COOLING TOWER BASIN OF THIS PROJECT.

* NASA - NEUTRAL BUOYANCY LAB

No: 09548

HOUSTON, TEXAS
U.S.A.

Designer MCDONALD DOUGLAS
Applicator CHAMBERLIN WATERPROOFING
Proj. Type RESERVOIRS
MILITARY PROJECTS
Total 50,000 SQ FT
Completed 1996
Comments A 2-COAT APPLICATION OF WHITE XYPEX WAS APPLIED TO 50,000 SQ.FT. AT THE NASA NEUTRAL BUOYANCY LAB TANK. THIS TANK IS BEING USED TO CHECK AND TO TRAIN ASTRONAUTS FOR THE CONSTRUCTION OF THE NEW PROPOSED SPACE STATION. THE WHITE XYPEX WAS USED TO WATERPROOF THE CONCRETE AND ELIMINATE THE NEED FOR A WHITE COATING.

* CITY OF MIDWAY - WATER TANK

No: 12650

	MIDWAY, UTAH
	U.S.A.
Owner	CITY OF MIDWAY
Applicator	GUARANTEED WATERPROOFING & CONSTRUCTION
Proj. Type	RESERVOIRS
Total	6,600 LBS
Completed	2000
Comments	REPAIR WORK WAS CARRIED OUT ON THIS 800,000 GALLON TANK FOR THE CITY OF MIDWAY. LEAKS AT CONSTRUCTION JOINTS AND BOTTON OF THE TANK WERE TREATED WITH PATCH N PLUG, FOLLOWED BY A SPRAY APPLICATION UP THREE FEET OF WALL BY XYPEX CONCENTRATE AND MODIFIED.

* UTAH AQUADUCT

No: 11140

	PROVO, UTAH
	U.S.A.
Owner	BUREAU OF RECLAMATION
Designer	BOYLE ENGINEERING
Contractor	KENCO
Proj. Type	RESERVOIRS
Total	5,000 SQ FT

* CHAMPLAIN WATER DISTRICT

No: 01981

	BURLINGTON, VERMONT
	U.S.A.
Owner	CHAMPLAIN WATER DISTRICT
Designer	CHAMPLAIN WATER DISTRICT
Contractor	VERMONT SEALCOATINGS
Applicator	SAME
Proj. Type	RESERVOIRS
Total	1,000 LBS
Completed	1980
Comments	EXTERIOR WALLS OF TANK.

* I-405 INTERCHANGE - PRE-CAST WATER STORAGE UNITS

No: 11185

	WASHINGTON
	U.S.A.
Owner	WASHINGTON STATE DOT
Designer	WASHINGTON STATE DOT - ENGINEERING
Contractor	TRI STATE CONST.(PRIME)/C.W. WILLIAMS (SUB.)
Applicator	BARTLETTE PAINTING
Proj. Type	RESERVOIRS
Total	4,000 LBS
Comments	OVER 4,000 LBS. OF XYPEX CONCENTRATE WAS APPLIED. GAMMA CURE USED FOR THE CURING PROCESS, WITH A FEW LIGHT MISTINGS. ALL WATERPROOFING ACCOMPLISHED PRIOR TO SHIPMENT TO THE JOB SIDE. JOINTS WERE SEALED WITH ADHESIVE GROUT.

* ABERDEEN WATER TOWER

No: 01415

	ABERDEEN, WASHINGTON
	U.S.A.
Contractor	MT BAKER SILOS LTD
Applicator	MT BAKER SILOS
Proj. Type	CONCRETE SILOS
	RESERVOIRS
Completed	1980
Comments	CONSTRUCTION JOINTS CHIPPED OUT AND TREATED WITH "CONCENTRATE" WHILE TOWER WAS FULL.

* CHERRY CREST RESERVOIR

No: 11937

	BELLEVUE, WASHINGTON
	U.S.A.
Owner	CITY OF BELLEVUE
Designer	RH2 ENGINEERING
Contractor	C.A. CAREY COMPANY
Proj. Type	RESERVOIRS
Completed	March 1999
Comments	DS-1 WAS APPLIED TO THE FLOOR OF THIS 20 MILLION GALLON RESERVOIR TO PROVIDE AN IMMEDIATE SURFACE TO WORK ON AND STAGE EQUIPMENT. CONCENTRATE WAS APPLIED TO WALLS AND ADMIX C-1000 WAS USED IN CONCRETE POUR FOR ROOF DECK (600 CU. YD) POST TENSION DESIGN.

* CARNATION CITY WATER TOWER

No: 02210

	CARNATION, WASHINGTON
	U.S.A.
Owner	CARNATION CITY MUNICIPAL.
Contractor	MT BAKER SILOS LTD
Applicator	MT BAKER SILOS LTD
Proj. Type	RESERVOIRS
	CONCRETE SILOS
Completed	1980
Comments	CONSTRUCTION JOINTS CHIPPED OUT AND TREATED WITH "CONCENTRATE" WHILE TOWER WAS FULL.

* LAKE WENATCHEE STATE PARK

No: 01982

	CHELAN COUNTY, WASHINGTON
	U.S.A.
Designer	STATE OF WASHINGTON ENGINEERING
Proj. Type	RESERVOIRS
Completed	1975
Comments	XYPEX WAS USED TO WATERPROOF WATER RESERVOIR, PUMP PITS, SEPTIC TANKS AND WET WELLS.

* GIG HARBOUR WATER TOWER

No: 02211

	GIG HARBOUR, WASHINGTON
	U.S.A.
Owner	GIG HARBOUR MUNICIPALITY
Contractor	MT BAKER SILOS LTD
Applicator	MT BAKER SILOS LTD
Proj. Type	RESERVOIRS
	CONCRETE SILOS
Completed	1980
Comments	CONSTRUCTION JOINTS CHIPPED OUT AND TREATED WITH "CONCENTRATE" WHILE TOWER WAS FULL.

* HOH RESERVATION WATER TOWER

No: 02212

	HOH RESERVATION, WASHINGTON
	U.S.A.
Owner	HOH RESERVATION
Contractor	MT BAKER SILOS LTD
Applicator	MT BAKER SILOS LTD
Proj. Type	RESERVOIRS
	CONCRETE SILOS
Completed	1980
Comments	CONSTRUCTION JOINTS CHIPPED OUT AND TREATED WHILE TOWER WAS FULL.

* MOSS BAY MARINA JOINT VENTURE

No: 01316

	KIRKLAND, WASHINGTON
	U.S.A.
Owner	DEHART, LANDS & HALL
Proj. Type	VAULTS & ELEVATOR PITS
	RESERVOIRS
Completed	1975
Comments	XYPEX USED FOR SEALING ELEVATOR PIT, PLANTER BOXES, PARKING DECK LANDINGS, STAIRS AND RISERS.

* ROYAL CITY WATER TOWERS NO.1 & NO.2

No: 02213

	ROYAL CITY, WASHINGTON
	U.S.A.
Owner	ROYAL CITY MUNICIPALITY
Contractor	MT BAKES SILOS LTD
Applicator	MT BAKER SILOS LTD
Proj. Type	RESERVOIRS
	CONCRETE SILOS
Completed	1981
Comments	CONSTRUCTION JOINTS CHIPPED OUT AND TREATED WITH "CONCENTRATE" WHILE TOWERS WERE FULL.

* YAKIMA RESERVOIR

No: 02235

	YAKIMA, WASHINGTON
	U.S.A.
Designer	CH2M HILL
Applicator	WILLIAM L. HILTON INC.
Proj. Type	RESERVOIRS

* CITY OF YAKIMA WATER RESERVOIR

No: 01983

	YAKIMA, WASHINGTON
	U.S.A.
Designer	CH2M HILL ARCHITECTS
Applicator	WILLIAM L. HILTON, INC.
Proj. Type	RESERVOIRS
Comments	XYPEX PRODUCTS USED IN AND AROUND DEFECTIVE CONSTRUCTION JOINTS DROPPING WATER LOSS FROM 30,000 GALLONS/DAY TO 3,500 GALLONS/DAY, WELL BELOW THE ALLOWABLE LIMIT.

* HOLDING TANK FOR SPRINKLER SYSTEM - MARION PLYWOOD

No: 02973

	WISCONSIN
	U.S.A.
Owner	MARION PLYWOOD CORP
Designer	OWNER
Contractor	CONSOLIDATED CONSTRUCTION
Applicator	EPOXY SPECIALISTS
Proj. Type	RESERVOIRS
Total	15,000 SQ FT
Completed	1987
Comments	NEW TANK LEAKED AT WATERSTOPS AND HONEY COMBED AREAS WHEN FILLED. TANK WAS REPAIRED AND COATED WITH XYPEX MATERIALS.

* SETTLING TANKS - MINERVEN

No: 10429

	EL CALLAO
	VENEZUELA
Owner	C.V.G. CORPORACION VENEZOLANA GUAYANA
Contractor	SERTECONCRET
Applicator	SERTECONCRET
Proj. Type	RESERVOIRS
	CHEMICAL & CHLORIDE PROTECTION
Total	3,600 SQ METRES
Comments	AFTER 15 YEARS OF USE THE SEDIMENT DEPOSITORIES SHOWED SERIOUS SIGNS OF DAMAGE AND LEAKAGE. THIS WAS MAINLY DUE TO THE USE OF CYANIDE DURING THE SEPARATION PROCESS OF THE GOLD ORE. THE BOTTOM SLAB AND WALLS WERE TREATED WITH XYPEX CONCENTRATE, AND ALL JOINTS WERE TREATED WITH DRY-PAC.

End of Report